



C-690 REV S
ISSUED 2021
Supersedes REV R

Your Complete Guide to Tube & Hose Repair



NEW Stainless Steel Fittings

Fittings

Brake Lines

Fuel Lines

Transmission Lines

Oil Cooler Lines

A/C Lines

Power Steering Lines

NEW Brake Line Kits

NEW Brake Line Tools

Select what you need for every fluid transfer system repair... all from one source right in your garage. Never wait for repair parts again.

CONTENTS

PAGE

Domestic Lines	7
Brake, Fuel, Transmission	
Import Lines	8
Japanese, British, European, 6mm	
Brake Line Adapters	9-10
3/16", 1/4", 6mm	
Floor & Wall Displays	11-12
Standard Steel, Poly-Armour®, and NiCopp®	
Coiled Tubing	13-14
Standard Steel, Stainless Steel, Poly-Armour®, NiCopp®, Copper, and FLEXX-FIT™	
Fittings	15-46
Brake, Fuel, Transmission, Oil, Water, Air, Natural Gas, Vacuum, and Anti-Freeze Lines	
Fitting Assortments	45-46
Bleeder Screws	47
Stainless Steel Bleeder Screws	
ACCUFIT® Oil Drain Plugs	48-50
Oil Drain Plugs, Gaskets, Repair Plugs, and Assortment	
Line Repair Systems	52-75
A/C Line Repair	53-59
Fuel Line Repair	60-65
Power Steering Line Repair	66-67
Transmission Line Repair	68-69
Brake Line Kits	70-75
Specialty Tools	76-79
Fitting Gauges, Wrenches, Pliers, Flaring, Bending and Reaming Tools	
Lubricants & Chemicals	80-83
Specialty lubricants for the automotive industry	
Rust Solutions	82-83



FEATURED NEW PRODUCT — HANDHELD FLARE TOOL

See More New Innovations on pages, 47, 65, 79-80, and 82-83.

FF-7

3/16" & 1/4" HANDHELD FLARE PROFESSIONAL GRADE & EASY TO USE TOOL



AGS's Flare-Force 7 series is a compact and easy to use flaring tool that can be used in the tightest of areas to repair a brake line. Available for 3/16" and 1/4" brake lines. Its clever design allows you to do on-the-car repairs as well as on a work bench. Don't be fooled, this is not the same as the other handhelds out there. The AGS FF-7 has a superior die block system and two separate flaring heads to ensure a true 45° double flare every time.

- Compact lightweight design allows on-the-car flaring.
- Produces professional 45° double flares.
- For use on 3/16" & 1/4" steel, nickel, & copper tube.*
- Includes 2 flaring dies and a magnetic base to store one.
- Can also be used on a bench or in a vise.
- Stores easily in a tool box.
- Perfect for technicians and DIY'ers .
- Includes easy to follow instructions.



STEP 1: Insert tubing, set depth, and tighten.



STEP 2: Insert OP1 flare head into die block. Tighten with a 12mm wrench or socket.



STEP 3: Insert OP2 flare head into die block. Tighten with a 12mm wrench or socket.



STEP 4: Remove die head. Loosen block. Inspect flare.



Compact design fits in any tool box.



AGS Part #	Description	Case Qty	UPC
FF-7316	3/16" Handheld Flaring Tool	36	077146704307
FF-7250	1/4" Handheld Flaring Tool	36	077146704291
FF-7001	3/16" Flaring Adapter Die	200	077146704314
FF-7002	Flaring Adapter Die	200	077146704338
FF-7003	Quick Release Adapter Bolt	200	077146704345
FF-7011	1/4" Flaring Adapter Die	200	077146704321

Pair with AGS fittings, tubing, & tools for a complete job!

FEATURED NEW PRODUCT — STAINLESS STEEL FITTINGS

See More New Innovations on pages, 47, 65, 79-80, and 82-83.

Tube Nuts, Unions, & Adapters

STAINLESS STEEL FITTINGS

39 Part #'s
Available



THE ULTIMATE CORROSION RESISTANT FITTINGS

AGS Stainless Steel fittings are made of 303 Stainless Steel. It's a high quality non-magnetic stainless (austenitic) that provides nearly twice the tensile yield strength (resistance to breakage) as mild steel, excellent resistance to corrosion and rust.

WHY CHOOSE STAINLESS STEEL FITTINGS?

Stainless steel tube nuts, adapters, and unions will not rust or corrode and are stronger than either mild steel or brass fittings. AGS stainless steel tube nuts, adapters, and unions are compatible with all steel, nickel-copper, PVF-coated and stainless steel brake lines. Correct OE threads, hex and seat configuration. Perfect for use with all cast iron, steel and aluminum calipers, wheel cylinders and clutch slave cylinders. Upgrade to stainless steel for long term beauty and peace-of-mind.

POLISHED FINISH

AGS Stainless Steel Fittings are polished to a stunning finish. Pair with AGS Stainless Steel tubing for all automotive applications where appearance is critical.



PAIR WITH AGS STAINLESS STEEL TUBING FOR THE ULTIMATE CORROSION RESISTANCE!



- 316L Marine-Grade
- Added Molybdenum
- Soft- Annealed
- Meets SAE J1667

AGS Part #	Description
SSC-316-12	3/16" x 12' Stainless Steel Coil
SSC-250-12	1/4" x 12' Stainless Steel Coil
SSC-325	3/16" x 25' Stainless Steel Coil
SSC-425	1/4" x 25' Stainless Steel Coil



STAINLESS STEEL FITTINGS

Bagged, Carded, Bulk, & Assorted

AGS Part #	Description	Unit UPC	Carded UPC	Bulk Bag UPC	Bulk Box UPC
BLSF-10 (B, X or C-2)*	Tube Nut, L, SS, 3/16 (3/8-24 I)	077146704505	077146398346	077146398339	077146703386
BLSF-11 (B, X or C-2)*	Tube Nut, SS, 3/16 (7/16-24 I)	077146704512	077146398384	077146398377	077146703393
BLSF-12 (B, X or C-2)*	Tube Nut, SS, 3/16 (3/8-24 I)	077146704529	077146398261	077146398254	077146703409
BLSF-13 (B, X or C-2)*	Tube Nut, SS, 1/4 (7/16-24 I)	077146704536	077146398322	077146398315	07714670416
BLSF-14 (B, X or C-2)*	Tube Nut, SS, 5/16 (1/2-20 I)	077146704543	077146398483	077146398476	07714670423
BLSF-15 (B, X or C-2)*	Tube Nut, SS, 3/8 (5/8-18 I)	077146704550	077146398568	077146398551	07714670430
BLSF-16 (B, X or C-2)*	Tube Nut, L, SS, 1/4 (7/16-24 I)	077146704567	077146398407	077146398391	07714670447
BLSF-17 (B, X or C-2)*	Adapter, SS, F(1/2-20 I), M(7/16-24 I)	077146704574	077146399022	077146399015	07714670454
BLSF-19 (B, X or C-2)*	Adapter, SS, F(7/16-24 I), M(1/2-20 I)	077146704581	077146398827	077146398810	07714670461
BLSF-20 (B, X or C-2)*	Adapter, SS, F(3/8-24 I), M(1/2-20 I)	077146704598	077146398889	077146398872	07714670478
BLSF-22 (B, X or C-2)*	Adapter, SS, F(3/8-24 I), M(7/16-24 I)	077146704604	077146398803	077146398797	07714670485
BLSF-23 (B, X or C-2)*	Adapter, SS, F(7/16-24 I), M(3/8-24 I)	077146704611	077146398902	077146398896	07714670492
BLSF-25 (B, X or C-2)*	Adapter, SS, F(7/16-24 I), M(9/16-18 I)	077146704628	077146398964	077146398957	07714670508
BLSF-28 (B, X or C-2)*	Adapter, SS, F(3/8-24 I), M(9/16-18 I)	077146704635	077146398940	077146398933	07714670515
BLSF-29 (B, X or C-2)*	Adapter, SS, F(3/8-24 I), M(M10x1.0 I)	077146704642	077146398926	077146398919	07714670522
BLSF-30 (B, X or C-2)*	Adapter, SS, F(3/8-24 I), M(3/8-24 B)	077146704659	077146398988	077146398971	07714670539
BLSF-31 (B, X or C-2)*	Adapter, SS, F(3/8-24 I), M(M10x1.0 B)	077146704666	077146398841	077146398834	07714670546
BLSF-33 (B, X or C-2)*	Adapter, SS, F(3/8-24 I), M(M12x1.0 B)	077146704673	077146398865	077146398858	07714670553
BLSF-36 (B, X or C-2)*	Adapter, SS, F(M10x1.0 I), M(M12x1.0 B)	077146704680	077146399008	077146398995	07714670560
BLSF-38 (B, X or C-2)*	Tube Nut, SS, 3/16 (3/8-24 B)	077146704697	077146398445	077146398438	07714670577
BLSF-39 (B, X or C-2)*	Tube Nut, SS, 3/16 (M10x1.0 B)	077146704703	077146398285	077146398278	07714670584
BLSF-40 (B, X or C-2)*	Tube Nut, SS, 3/16 (M10x1.0 I)	077146704710	077146398308	077146398292	07714670591
BLSF-41 (B, X or C-2)*	Tube Nut, SS, 3/16 (1/2-20 I)	077146704727	077146398469	077146398452	07714670607
BLSF-42 (B, X or C-2)*	Tube Nut, SS, 3/16 (9/16-18 I)	077146704734	077146398520	077146398513	07714670614
BLSF-43 (B, X or C-2)*	Tube Nut, SS, 1/4 (9/16-18 I)	077146704741	077146398506	077146398490	07714670621
BLSF-44 (B, X or C-2)*	Tube Nut, SS, 1/4 (1/2-20 I)	077146704758	077146398360	077146398353	07714670638
BLSF-46 (B, X or C-2)*	Tube Nut, SS, 6mm (M12x1.0 B)	077146704765	077146398605	077146398599	07714670645
BLSF-47 (B, X or C-2)*	Tube Nut, SS, 3/16 (M11x1.5 B)	077146704772	077146398544	077146398537	07714670652
BLSF-48 (B, X or C-2)*	Tube Nut, SS, 3/16 (M12x1.0 B)	077146704789	077146398421	077146398414	07714670669
BLSF-49 (B, X or C-2)*	Tube Nut, SS, 3/16 (M13x1.5 B)	077146704796	077146398629	077146398612	07714670676
BLSF-51 (B, X or C-2)*	Tube Nut, SS, 6mm (M12x1.0 B)	077146704802	077146398582	077146398575	07714670683
BLSU-3 (B, X or C-2)*	Union, SS, 3/16 (3/8-24 I)	077146704826	077146398643	077146398636	07714670690
BLSU-4 (B, X or C-2)*	Union, SS, 1/4 (7/16-24 I)	077146704833	077146398667	077146398650	07714670706
BLSU-5 (B, X or C-2)*	Union, SS, 5/16 (1/2-20 I)	077146704840	077146398742	077146398735	07714670713
BLSU-6 (B, X or C-2)*	Union, SS, 3/8 (5/8-18 I), Bag	077146704857	077146398766	077146398759	07714670720
BLSU-7 (B, X or C-2)*	Union, SS, 3/16 (3/8-24 B), Bag	077146704864	077146398728	077146398711	07714670737
BLSU-8 (B, X or C-2)*	Union, SS, 3/16 (M10x1.0 B), Bag	077146704871	077146398681	077146398674	07714670744
BLSU-9 (B, X or C-2)*	Union, SS, 3/16 (M10x1.0 I), Bag	077146704888	077146398704	077146398698	07714670751
BLSU-10 (B, X or C-2)*	Union, SS, 6mm (M12x1.0 B)	077146704819	077146398780	077146398773	07714670768
BLSFA-1	Stainless Steel Fitting Assortment	077146399039			

* Packaging Option B
1 Fitting/Bag

* Packaging Option C-2
2 Fittings/Card


Packaging Option
10/Bag

* Packaging Option X
100/Box

BRAKING SYSTEM

The braking system is a critical component of any vehicle and literally controls the safety of drivers, passengers, and anyone else sharing the road. The tubing which carries the braking fluid between the master cylinder and the slave cylinders at the wheels is a vital part of this system. This tubing is extremely susceptible to the high-pressure it must handle (during braking) and the environment (adverse weather, road treatments, and road debris) to which it is continuously exposed.

AGS lines and coils are made of the most advanced materials and processes available today. Our tubing construction and coatings allow for the most workable, corrosion resistant, and safest product possible. In addition, the quality of the flares (end-forms) and tube nuts of all AGS lines meet and exceed standards for the best seal possible. While the vast majority of vehicles utilize 3/16", 1/4", or 6mm diameter tubing for brake applications, all AGS lines offer the same advanced construction and technology. For a complete explanation of the braking system go to www.agscompany.com.



BRAKE, FUEL, & TRANSMISSION SPECIFICATIONS

Series (Example)	Brand	O.D.	Burst Pressure (psi)	Working Pressure (psi)	SAE	ISO	ASTM	Tensile Strength	Wall Thickness
BL-3XX (BL-308) or PA-3XX (PA-308)	 	3/16" (4.76mm)	12,559	3,400	J527	13486 4038	A254	42,050 psi (290 MPa)	.028" (0.70mm)
PA-7XX (PA-708)		6mm (0.24")	9,812	2,500	J1677				
BL-4XX (BL-408) or PA-4XX (PA-408)		1/4" (6.35mm)	9,419	2,400	J1065				
BL-5XX (BL-508) or PA-5XX (PA-508)		5/16" (8.00mm)	7,535	2,000	J533				
BL-6XX (BL-608) or PA-6XX (PA-608)		3/8" (9.53mm)	6,279	1,600	J512				
SSC-3XX (SSC-325)	STAINLESS STEEL	3/16" (4.76mm)	15,310	3,062	J1677	N/A	A249	70,343 psi (485 MPa)	.028" (0.70mm)
SSC-4XX (SSC-425)		1/4" (6.35mm)	11,070	2,214					
CN-3XX (CN-308)		3/16" (4.76mm)	11,909	3,300	J1650	13486 4038	B111 B466	39,875 psi (275 MPa)	.028" (0.70mm)
CN-4XX (CN-408)		1/4" (6.35mm)	8,932	2,300	J1677				
CN-5XX (CN-508)		5/16" (8.00mm)	7,146	1,850	J533				
CN-6XX (CN-608)		3/8" (9.53mm)	5,955	1,500	J512				


* Working and burst pressures calculated using the conservative Barlow's Formula. Tensile strength was used to indicate material strength and a safety factor of 4 was used to find working pressure.

GOOD



- Double-Walled
- Low Carbon Steel
- Copper Brazed
- Zinc Undercoating

BETTER




- Double-Walled
- Low Carbon Steel
- Copper Brazed
- Zinc Undercoating
- PVF Coated
- EZ-BEND Technology

STAINLESS STEEL




- 316L Stainless Steel
- Molybdenum
- Marine Grade

BEST





- Single-Walled
- 90-10 Copper Nickel Alloy
- EZ-BEND+ Technology

EZ-BEND® Technology refers to the combined features of the AGS lines and coils that make them easy to work with and bend. In the case of 3/16" diameter lines and coils, bending tools are not even necessary. All lines and coils (including AGS Standard Steel) are kink-proof and will retain shape after bending.


3/16"**DOMESTIC LINE – SAE INVERTED FLARE**

APPLICATION: BRAKE LINE FOR DOMESTIC VEHICLES
FITTINGS: BLF-10 AND BLF-12
UNION: BLU-3

	Poly-Armour® Catalog No.		NiCopp® Catalog No.		Standard Catalog No.	Description	Case Qty
	PA-308		CN-308		BL-308	3/16" x 8"	10
	PA-312		CN-312		BL-312	3/16" x 12"	10
	PA-320		CN-320		BL-320	3/16" x 20"	10
	PA-330		CN-330		BL-330	3/16" x 30"	10
	PA-340-5/PA-340		CN-340-5/CN-340		BL-340	3/16" x 40"	5 / 10
	PA-351-5/PA-351		CN-351-5/CN-351		BL-351	3/16" x 51"	5 / 10
	PA-360-5/PA-360		CN-360-5/CN-360		BL-360	3/16" x 60"	5 / 10
	PA-372		CN-372-5/CN-372		BL-372	3/16" x 72"	5 / 10
	—		—		BLXX-384	3/16" x 84"	50


1/4"**DOMESTIC LINE – SAE INVERTED FLARE**

APPLICATION: BRAKE LINE FOR DOMESTIC VEHICLES
FITTINGS: BLF-13 AND BLF-16
UNION: BLU-4

	Poly-Armour® Catalog No.		NiCopp® Catalog No.		Standard Catalog No.	Description	Case Qty
	PA-408		CN-408		BL-408	1/4" x 8"	10
	PA-412		CN-412		BL-412	1/4" x 12"	10
	PA-420		CN-420		BL-420	1/4" x 20"	10
	PA-430		CN-430		BL-430	1/4" x 30"	10
	PA-440-5/PA-440		CN-440-5/CN-440		BL-440	1/4" x 40"	5 / 10
	PA-451-5/PA-451		CN-451-5/CN-451		BL-451	1/4" x 51"	5 / 10
	PA-460-5/PA-460		CN-460-5/CN-460		BL-460	1/4" x 60"	5 / 10
	PA-472		CN-472-5/CN-472		BL-472	1/4" x 72"	5 / 10


5/16"**DOMESTIC LINE – SAE INVERTED FLARE**

APPLICATION: FUEL & TRANSMISSION LINE FOR DOMESTIC VEHICLES
FITTINGS: BLF-14
UNION: BLU-5

	Poly-Armour® Catalog No.		NiCopp® Catalog No.		Standard Catalog No.	Description	Case Qty
	PA-508		CN-508		BL-508	5/16" x 8"	5
	PA-512		CN-512		BL-512	5/16" x 12"	5
	PA-520		CN-520		BL-520	5/16" x 20"	5
	PA-530		CN-530		BL-530	5/16" x 30"	5
	PA-540		CN-540		BL-540	5/16" x 40"	5
	PA-551		CN-551		BL-551	5/16" x 51"	5
	PA-560		CN-560		BL-560	5/16" x 60"	5
	PA-572		CN-572		BL-572	5/16" x 72"	5

3/8"**DOMESTIC LINE – SAE INVERTED FLARE**

APPLICATION: FUEL & TRANSMISSION LINE FOR DOMESTIC VEHICLES
FITTINGS: BLF-15
UNION: BLU-6

	Poly-Armour® Catalog No.		NiCopp® Catalog No.		Standard Catalog No.	Description	Case Qty
	PA-608		CN-608		BL-608	3/8" x 8"	4
	PA-612		CN-612		BL-612	3/8" x 12"	4
	PA-620		CN-620		BL-620	3/8" x 20"	4
	PA-630		CN-630		BL-630	3/8" x 30"	4
	PA-640		CN-640		BL-640	3/8" x 40"	4
	PA-651		CN-651		BL-651	3/8" x 51"	4
	PA-660		CN-660		BL-660	3/8" x 60"	4
	PA-672		CN-672		BL-672	3/8" x 72"	4

3/16"

JAPANESE LINE – SAE INVERTED FLARE/METRIC



APPLICATION: BRAKE LINE FOR JAPANESE VEHICLES
FITTINGS: BLF-40
UNION: BLU-9




**Poly-Armour®
Catalog No.**

PAJ-308
PAJ-312
PAJ-320
PAJ-330
PAJ-340
PAJ-351
PAJ-360
PAJ-372



**NiCopp®
Catalog No.**

CNJ-308
CNJ-312
CNJ-320
CNJ-330
CNJ-340
CNJ-351
CNJ-360
CNJ-372



**Standard
Catalog No.**

BLJ-308
BLJ-312
BLJ-320
BLJ-330
BLJ-340
BLJ-351
BLJ-360
BLJ-372

Description	Case Qty
3/16" x 8"	5
3/16" x 12"	5
3/16" x 20"	5
3/16" x 30"	5
3/16" x 40"	5
3/16" x 51"	5
3/16" x 60"	5
3/16" X 72"	5

3/16"

BRITISH LINE – ISO BUBBLE FLARE



APPLICATION: BRAKE LINE FOR BRITISH VEHICLES
FITTINGS: BLF-38
UNION: BLU-7




**Poly-Armour®
Catalog No.**

PAB-308
PAB-312
PAB-320
PAB-330
PAB-340
PAB-351
PAB-360
PAB-372



**NiCopp®
Catalog No.**

CNB-308
CNB-312
CNB-320
CNB-330
CNB-340
CNB-351
CNB-360
CNB-372



**Standard
Catalog No.**

BLB-308
BLB-312
BLB-320
BLB-330
BLB-340
BLB-351
BLB-360
BLB-372

Description	Case Qty
3/16" x 8"	5
3/16" x 12"	5
3/16" x 20"	5
3/16" x 30"	5
3/16" x 40"	5
3/16" x 51"	5
3/16" x 60"	5
3/16" X 72"	5

3/16"

EUROPEAN LINE – ISO BUBBLE FLARE / METRIC



APPLICATION: BRAKE LINE FOR EUROPEAN VEHICLES
FITTINGS: BLF-39
UNION: BLU-8




**Poly-Armour®
Catalog No.**

PAE-308
PAE-312
PAE-320
PAE-330
PAE-340
PAE-351
PAE-360
PAE-372
PAE-384



**NiCopp®
Catalog No.**

CNE-308
CNE-312
CNE-320
CNE-330
CNE-340
CNE-351
CNE-360
CNE-372
-



**Standard
Catalog No.**

BLE-308
BLE-312
BLE-320
BLE-330
BLE-340
BLE-351
BLE-360
BLE-372
BLE-384

Description	Case Qty
3/16" x 8"	5
3/16" x 12"	5
3/16" x 20"	5
3/16" x 30"	5
3/16" x 40"	5
3/16" x 51"	5
3/16" x 60"	5
3/16" x 72"	5
3/16" x 84"	5

6mm

GM LINE – ISO BUBBLE FLARE / METRIC



APPLICATION: BRAKE LINE FOR SOME GM VEHICLES
 (SATURN, CADILLAC)
FITTINGS: BLF-51
UNION: BLU-10



**Poly-Armour®
Catalog No.**

PA-708
PA-712
PA-720
PA-730
PA-740
PA-751
PA-760
PA-772

Description

Case Qty

6mm x 8"
6mm x 12"
6mm x 20"
6mm x 30"
6mm x 40"
6mm x 51"
6mm x 60"
6mm x 72"

5
5
5
5
5
5
5
5

AGS 8" adapter brake lines allow dissimilar connections to be made within the same system. Adapter lines are available in common brake line tube sizes 3/16", 1/4", and 6mm. AGS offers OE matching lines. ISO/Bubble to SAE/Inverted, English thread to Metric thread, and enlarging/reducing lines.

3/16"

8" ADAPTER BRAKE LINES



**Adapts Japanese port to a standard 3/16" Domestic brake system*

Poly-Armour® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-0310	BLA-0310	3/8-24 SAE Inverted to M10x1.0 SAE Inverted	5	Brass



**Adapts metric bubble flare to a standard 3/16" Domestic brake system*

Poly-Armour® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-Y311	BLA-Y311	3/8-24 SAE Inverted to M11x1.5 ISO Bubble	5	Yellow



**Adapts metric bubble flare to a standard 3/16" Domestic brake system*

Poly-Armour® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-B312	BLA-B312	3/8-24 SAE Inverted to M12x1.0 ISO Bubble	5	Blue



**Adapts metric bubble flare to a standard 3/16" Domestic brake system*

Poly-Armour® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-0313	BLA-0313	3/8-24 SAE Inverted to M13x1.5 ISO Bubble	5	Olive




**Adapts 1/4" Domestic port to a standard 3/16" Domestic brake system*

Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-R340	CNA-R340	BLA-R340	3/8-24 SAE Inverted to 7/16-24 SAE Inverted	5	Red




**Adapts 5/16" Domestic port to a standard 3/16" Domestic brake system*

Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-R350	CNA-R350	BLA-R350	3/8-24 SAE Inverted to 1/2-20 SAE Inverted	5	Black



**Adapts 5/16" Domestic port to a standard 3/16" Domestic brake system*

Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-G360	CNA-G360	BLA-G360	3/8-24 SAE Inverted to 1/2-20 SAE Inverted	5	Green



**Adapts European port to a standard 3/16" Domestic brake system.*

Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-0380	CNA-0380	BLA-0380	3/8-24 SAE Inverted to M10x1.0 ISO Bubble	5	Olive

3/16"**8" ADAPTER BRAKE LINES (Continued)**

3/8-24 (BLF-12)

9/16-18 (BLF-42)

**Adapts 9/16-18 port to a standard 3/16" Domestic brake system*

Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-0370	CNA-0370	BLA-0370	3/8-24 SAE Inverted to 9/16-18 SAE Inverted	5	Olive

1/4"**8" ADAPTER BRAKE LINES**

7/16-24 (BLF-13)

9/16-18 (BLF-43)

**Adapts 9/16-18 port to a standard 1/4" Domestic brake system*

Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-B410	CNA-B410	BLA-B410	7/16-24 SAE Inverted to 9/16-18 SAE Inverted	5	Blue



7/16-24 (BLF-13)

1/2-20 (BLF-44)

**Connects 5/16" Domestic port to a 1/4" Domestic brake system*

Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-S420	CNA-S420	BLA-S420	7/16-24 SAE Inverted to 1/2-20 SAE Inverted	5	Silver



7/16-24 (BLF-13)

7/16-24 (BLF-13)

**Connects 1/4" Domestic port to a 1/4" Domestic brake system*

Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	Description	Case Qty	Nut Color
PAA-B430	CNA-B430	BLA-B430	7/16-24 SAE Inverted to 7/16-24 SAE Inverted	5	Brass

6mm**8" ADAPTER BRAKE LINES**

M12x1.0 (BLF-51)

M14x1.5 (BLF-53)

**Adapts non-standard metric bubble to standard 6mm brake system*

Poly-Armour® Catalog No.	Description	Case Qty	Nut Color
PAA-B710	M12x1.0 ISO Bubble to M14x1.5 ISO Bubble	5	Black



M12x1.0 (BLF-51)

M12x1.5 (BLF-52)


**Adapts non-standard metric bubble to standard 6mm brake system*

Poly-Armour® Catalog No.	Description	Case Qty	Nut Color
PAA-B720	M12x1.0 ISO Bubble to M12x1.5 ISO Bubble	5	Olive

FLOOR DISPLAYS

	Poly-Armour® Catalog No.	NiCopp® Catalog No.		Standard Catalog No.	Description	Dimensions (H x W x D)
	PAD-1	CND-1		BLD-1	Floor Display – Domestic or Import (No Lines – Empty)	30" x 11" x 18"
	PAD-2	CND-2		BLD-2	Floor Display – Domestic/Import/Adapter Lines	63" x 27" x 18"
	PAD-3	CND-3		BLD-3	Floor Display – Domestic Lines	63" x 11" x 18"
	PAD-4	CND-4		BLD-4	Floor Display – Import Lines	63" x 11" x 18"
	PAD-6	–		–	Floor Display – Domestic/Import/6mm/Adapters	63" x 33" x 18"

WALL DISPLAYS

	Poly-Armour® Catalog No.	NiCopp® Catalog No.		Standard Catalog No.	Description	Dimensions (H x W x D)
	PAD-14	CND-14		BLD-14	Wall Display – Domestic (No Lines – Empty)	10" x 24" x 6"
	PAD-15	CND-15		BLD-15	Wall Display – Import (No Lines – Empty)	10" x 17" x 3"
	PAD-18	–		–	Wall Display – 6mm Lines	69" x 7" x 6"
	PAD-19	–		BLD-19	Wall Display – Domestic Lines	69" x 24" x 6"
	PAD-20	–		BLD-20	Wall Display – Import Lines	69" x 17" x 3"
	PAD-21	–		BLD-21	Wall Display – Domestic & Import Lines	69" x 42" x 6"
	PAD-22	CND-22		–	Wall Display – Domestic Lines (Installer Assortment)	69" x 24" x 6"
	PAD-23	CND-23		–	Wall Display – Import Lines (Installer Assortment)	69" x 17" x 3"
	PAD-24	–		–	Wall Display – 6mm (No Lines – Empty)	9.5" x 7" x 6"
	PAD-26	–		BLD-26	Wall Display – Adapter Lines	16" x 7" x 6"
	PAD-28	CND-28		–	Wall Display – Adapter (No Lines – Empty)	10" x 7" x 6"

FLOOR DISPLAYS




PAD-3 PAD-4

PAD-2
(PAD-3 + PAD-4 + ADAPTERS)

PAD-6
(PAD-3 + PAD-4 + ADAPTERS + 6mm)

DIMENSIONAL DATA



WALL DISPLAYS



PAD-18

PAD-19

PAD-20

PAD-21
(PAD-19 + PAD-20)

PAD-26

PAD-15

DISPLAY CONTENTS

			FLOOR DISPLAY				WALL DISPLAY						
Poly-Armour® Catalog No.	NiCopp® Catalog No.	Standard Catalog No.	PAD-2	PAD-3	PAD-4	PAD-6	PAD-18	PAD-19	PAD-20	PAD-21	PAD-22	PAD-23	PAD-26
			CND-2*	CND-3	CND-4*						CND-22	CND-23	
			BLD-2	BLD-3	BLD-4			BLD-19	BLD-20	BLD-21			BLD-26
PA-308	CN-308	BL-308	10	10		10		10		10	2		
PA-312	CN-312	BL-312	10	10		10		10		10	2		
PA-320	CN-320	BL-320	10	10		10		10		10	2		
PA-330	CN-330	BL-330	10	10		10		10		10	2		
PA-340	CN-340	BL-340	10	10		10		10		10	2		
PA-351	CN-351	BL-351	10	10		10		10		10	2		
PA-360	CN-360	BL-360	10	10		10		10		10	2		
PA-408	CN-408	BL-408	10	10		10		10		10			
PA-412	CN-412	BL-412	10	10		10		10		10			
PA-420	CN-420	BL-420	10	10		10		10		10	2		
PA-430	CN-430	BL-430	10	10		10		10		10	2		
PA-440	CN-440	BL-440	10	10		10		10		10	2		
PA-451	CN-451	BL-451	10	10		10		10		10	2		
PA-460	CN-460	BL-460	10	10		10		10		10	2		
PA-508	CN-508	BL-508	5	5		5		5		5			
PA-512	CN-512	BL-512	5	5		5		5		5			
PA-520	CN-520	BL-520	5	5		5		5		5			
PA-530	CN-530	BL-530	5	5		5		5		5			
PA-540	CN-540	BL-540	5	5		5		5		5			
PA-551	CN-551	BL-551	5	5		5		5		5			
PA-560	CN-560	BL-560	5	5		5		5		5			
PA-608	CN-608	BL-608	4	4		4		4		4			
PA-612	CN-612	BL-612	4	4		4		4		4			
PA-620	CN-620	BL-620	4	4		4		4		4			
PA-630	CN-630	BL-630	4	4		4		4		4			
PA-640	CN-640	BL-640	4	4		4		4		4			
PA-651	CN-651	BL-651	4	4		4		4		4			
PA-660	CN-660	BL-660	4	4		4		4		4			
PA-708	-	-				5	5						
PA-712	-	-				5	5						
PA-720	-	-				5	5						
PA-730	-	-				5	5						
PA-740	-	-				5	5						
PA-751	-	-				5	5						
PA-760	-	-				5	5						
PAB-308	CNB-308	BLB-308	5		5	5			5	5			
PAB-312	CNB-312	BLB-312	5		5	5			5	5			
PAB-320	CNB-320	BLB-320	5		5	5			5	5			
PAB-330	CNB-330	BLB-330	5		5	5			5	5			
PAB-340	CNB-340	BLB-340	5		5	5			5	5			
PAB-351	CNB-351	BLB-351	5		5	5			5	5			
PAB-360	CNB-360	BLB-360	5		5	5			5	5		2	
PAE-308	CNE-308	BLE-308	5		5	5			5	5		2	
PAE-312	CNE-312	BLE-312	5		5	5			5	5		2	
PAE-320	CNE-320	BLE-320	5		5	5			5	5		2	
PAE-330	CNE-330	BLE-330	5		5	5			5	5		2	
PAE-340	CNE-340	BLE-340	5		5	5			5	5		2	
PAE-351	CNE-351	BLE-351	5		5	5			5	5		2	
PAE-360	CNE-360	BLE-360	5		5	5			5	5		2	
PAJ-308	CNJ-308	BLJ-308	10		10	5			5	5			
PAJ-312	CNJ-312	BLJ-312	10		10	5			5	5		2	
PAJ-320	CNJ-320	BLJ-320	10		10	5			5	5		2	
PAJ-330	CNJ-330	BLJ-330	10		10	5			5	5		2	
PAJ-340	CNJ-340	BLJ-340	10		10	5			5	5			
PAJ-351	CNJ-351	BLJ-351	10		10	5			5	5			
PAJ-360	CNJ-360	BLJ-360	10		10	5			5	5		2	
PAA-B410	CNA-B410	BLA-B410	5			5							5
PAA-G360	CNA-G360	BLA-G360	5			5							5
PAA-R340	CNA-R340	BLA-R340	5			5							5
PAA-R350	CNA-R350	BLA-R350	5			5							5
PAA-S420	CNA-S420	BLA-S420	5			5							5
PAA-B430	-	BLA-B430				5							5
PAA-O370	-	BLA-O370				5							5
PAA-O380	-	BLA-O380				5							5
PAA-B312	-	-				5							
PAA-B710	-	-				5							
PAA-B720	-	-				5							
PAA-O310	-	-				5							
PAA-O313	-	-				5							
PAA-Y311	-	-				5							

*NOTE: CND-2/CND-4 contain QTY 5 of the CNJ part numbers

 **WARNING: Cancer and Reproductive Harm -** www.P65Warnings.ca.gov

AGS coils are the same copper-brazed, double-walled, steel or copper nickel alloy tubing as used in our pre-made lines. When combined with AGS tube nuts and flaring tool, coils are an economical solution for shops that want to build their own lines, custom lengths or non-standard applications.

3/16"

BRAKE LINE COIL

	Standard Catalog No.	Poly-Armour® Catalog No.	Stainless Steel Catalog No.	NiCopp® Catalog No.	Description / Length	Tube Nuts Purchased Separately
12'	-	PAC-316-12	SSC-316-12	CNC-316-12	3/16" x 12'	BLF-10, 11, 12, 38, 39, 40, 41, 42, 47, 48, 49
25'	BLC-325	PAC-325	SCC-325	CNC-325	3/16" x 25'	
50'	-	PAC-350	-	CNC-350	3/16" x 50'	
100'	-	-	-	CNC-3100	3/16" x 100'	

Use to fabricate 3/16" Domestic, European, Japanese, British, and adapter brake lines

1/4"

BRAKE LINE COIL

	Standard Catalog No.	Poly-Armour® Catalog No.	Stainless Steel Catalog No.	NiCopp® Catalog No.	Description / Length	Tube Nuts Purchased Separately
12'	-	PAC-14-12	SSC-14-12	CNC-14-12	1/4" x 12'	BLF-13, 16, 43, 44
25'	BLC-425	PAC-425	SCC-425	CNC-425	1/4" x 25'	
50'	-	PAC-450	-	CNC-450	1/4" x 50'	
100'	-	-	-	CNC-4100	1/4" x 100'	

Use to fabricate 1/4" Domestic and adapter brake lines

5/16"

FUEL & TRANSMISSION LINE COIL

	Standard Catalog No.	Poly-Armour® Catalog No.	NiCopp® Catalog No.	Description / Length	Tube Nuts Purchased Separately
25'	BLC-525	PAC-525	CNC-525	5/16" x 25'	BLF-14, FLR-009
100'	-	-	CNC-5100	5/16" x 100'	

Use to fabricate 5/16" fuel and transmission lines

3/8"

FUEL & TRANSMISSION LINE COIL

	Standard Catalog No.	Poly-Armour® Catalog No.	NiCopp® Catalog No.	Description / Length	Tube Nuts Purchased Separately
25'	BLC-625	PAC-625	CNC-625	3/8" x 25'	BLF-15, FLR-008
100'	-	-	CNC-6100	3/8" x 100'	

Use to fabricate 3/8" fuel and transmission lines

6mm

BRAKE LINE COIL

	Poly-Armour® Catalog No.	Description / Length	Tube Nuts Purchased Separately
25'	PAC-725	6mm x 25'	BLF-46, 51, 52, 53

Use to fabricate 6mm GM and adapter brake lines

BRAKE LINE COIL KITS

	Poly-Armour® Catalog No.	Standard Catalog No.	NiCopp® Catalog No.	NiCopp® Catalog No.	Description / Length
3/16"	PAC-325K	BLC-325K	CNC-325K	BLFA-8K/ BLFA-8K-2*	Poly-Armour®, Steel, NiCopp® Coil with Tube Nuts / 25' NiCopp® Coil with Fitting Assortment (1 or 2 Coils)
1/4"	PAC-425K	BLC-425K	CNC-425K	BLFA-9K*	Poly-Armour®, Steel, NiCopp® Coil with Tube Nuts / 25' NiCopp Coil with Fitting Assortment
3/16" & 1/4"	-	-	-	BLFA-10K*	CNC-325 & CNC-425 Coils with BLFA-8 & BLFA-9 Fitting Assortments
5/16"	PAC-525K	BLC-525K	-	-	Poly-Armour® or Steel Coil with Tube Nuts
3/8"	PAC-625K	BLC-625K	-	-	Poly-Armour® or Steel Coil with Tube Nuts

*See page 56

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Coiled Tubing

COPPER COILED TUBING

For use in many low pressure fluid and gas transfer system applications including air, fuel, water, and other chemicals – NOT brake lines. Forms, flares, flanges, and bends readily in difficult applications. Soft annealed seamless copper tubing. High fatigue and wear resistance. Permanent rust free surface.

Part No.	Description	Diameter	Gauge	Length (feet)
CT-125-032	Coil, Copper, 7/16 x 25 x 032	7/16"	0.032	25
CT-225-03	Coil, Copper, 1/8 x 25 x 03	1/8"	0.03	25
CT-325-03	Coil, Copper, 3/16 x 25 x 03	3/16"	0.03	25
CT-425-03	Coil, Copper, 1/4 x 25 x 03	1/4"	0.03	25
CT-525-032	Coil, Copper, 5/16 x 25 x 032	5/16"	0.032	25
CT-625-032	Coil, Copper, 3/8 x 25 x 032	3/8"	0.032	25
CT-725-032	Coil, Copper, 1/2 x 25 x 032	1/2"	0.032	25
CT-825-035	Coil, Copper, 5/8 x 25 x 035	5/8"	0.035	25
CT-925-035	Coil, Copper, 3/4 x 25 x 035	3/4"	0.035	25
CT-150-032	Coil, Copper, 7/16 x 50 x 032	7/16"	0.032	50
CT-250-03	Coil, Copper, 1/8 x 50 x 03	1/8"	0.03	50
CT-350-03	Coil, Copper, 3/16 x 50 x 03	3/16"	0.03	50
CT-450-03	Coil, Copper, 1/4 x 50 x 03	1/4"	0.03	50
CT-450-049	Coil, Copper, 1/4 x 50 x 049	1/4"	0.049	50
CT-550-032	Coil, Copper, 5/16 x 50 x 032	5/16"	0.032	50
CT-650-032	Coil, Copper, 3/8 x 50 x 032	3/8"	0.032	50
CT-650-049	Coil, Copper, 3/8 x 50 x 049	3/8"	0.049	50
CT-750-03	Spool, Copper, 1/2 x 50 x 03	1/2"	0.03	50
CT-750-032	Coil, Copper, 1/2 x 50 x 032	1/2"	0.032	50
CT-750-049	Coil, Copper, 1/2 x 50 x 049	1/2"	0.049	50
CT-850-035	Coil, Copper, 5/8 x 50 x 035	5/8"	0.035	50
CT-850-058	Coil, Copper, 5/8 x 50 x 058	5/8"	0.058	50
CT-950-058	Coil, Copper, 3/4 x 50 x 058	3/4"	0.058	50
CT-2100-03	Spool, Copper, 1/8 x 100 x 03	1/8"	0.03	100
CT-3100-03	Spool, Copper, 3/16 x 100 x 03	3/16"	0.03	100
CT-4100-03	Spool, Copper, 1/4 x 100 x 03	1/4"	0.03	100
CT-5100-03	Spool, Copper, 5/16 x 100 x 03	5/16"	0.03	100
CT-6100-03	Spool, Copper, 3/8 x 100 x 03	3/8"	0.03	100

FLEXX-FIT™ – FLEXIBLE BRAKE LINES



PATENT PENDING

FLEXX-FIT™ lines are not brake hoses. FLEXX-FIT™ lines are 12" flexible brake lines. Use them anywhere a more flexible, shock-resistant, and corrosion-proof section of line is needed. No need to hunt down expensive application-specific OE assemblies.

Top Applications

- ABS Controllers
- Master Cylinders
- Trailers - Boat, RV, etc.
- Clutch
- Wheel Cylinder/Brakes
- Motorcycles - Rear Brake
- Rear Axle - RWD



Scan to watch the FLEXX-FIT™ video.



Anti-Corrosion Link Technology!



FXD-21 — FLEXX-FIT™ WALL DISPLAY (NO LINES)



FXD-22 — FLEXX-FIT™ WALL DISPLAY

*Contains QTY 5 of all FX part numbers

AVAILABLE FOR DOMESTIC & IMPORT

Part No.	Description
FX-312	3/16" x 3/8-24 Inverted
FX-412	1/4" x 7/16-24 Inverted
FX-712	6mm x M12x1.0 Bubble
FXB-312	3/16" x 3/8-24 Bubble
FXE-312	3/16" x M10x1.0 Bubble
FXJ-312	3/16" x M10x1.0 Inverted


MEETS SAE J1401

- 4,000 psi working pressure
- 7,000 psi burst pressure
- -50°F to 250°F (-45°C to 121°C)
- Compatible with all brake fluids
- Meets FMVSS-106 standards
- Zinc Dichromate coated fittings
- Anti-corrosion link technology
- Thread/Flare-type marked on fitting
- O-ring seal built into fittings keep out corrosion and contamination

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

FITTINGS

AGS Fittings are comprised of **Tube Nuts, Unions (Couplers), Adapters, Grease Fittings, Hose Fittings, Elbows, and Tees**; used primarily in the automotive hydraulic braking, fuel, and transmission systems. Fittings are offered in a variety of packaging options, including: retail clam-shells, bulk boxed, and plastic tray assortments. The following provides guidelines for selecting and identifying fittings.



Automotive hydraulic brake fittings are formed to work with either SAE Inverted Double Flare (Domestic and Japanese vehicles) or ISO Bubble Flare (European and British vehicles). In either case, the fitting (whether a Tube Nut, Union, or Adapter) must be selected to match the end form of the tube or port it will be mating to or a proper seal will not be possible.

Standard UNF Imperial Threads




Nominal Tube Size	Thread O.D.	Threads Per Inch	Thread Description
3/16"	3/8	24	3/8-24
1/4"	7/16	24	7/16-24
5/16"	1/2	20	1/2-20
3/8"	5/8	18	5/8-18

Standard Metric Threads

Description Tube Size	Thread O.D.	Crest (Pitch)	Thread Description
Japanese 3/16"	10mm	1.0mm	M10x1.0
European 3/16"	10mm	1.0mm	M10x1.0
GM 6mm	12mm	1.0mm	M12x1.0
Fuel 5/16"	14mm	1.5mm	M12x1.5
Fuel 3/8"	16mm	1.5mm	M16x1.5

National Pipe Tapered Threads

Nominal Pipe Size	Thread O.D.	Threads Per Inch	Thread Description
1/8"	0.405"	27	1/8" NPT
1/4"	0.54"	18	1/4" NPT
3/8"	0.675"	18	3/8" NPT
1/2"	0.84"	14	1/2" NPT



The charts and diagrams on the left refer to the standard thread measures for the nominal tube sizes and how they are determined for both imperial and metric fittings. Non-standard thread sizes do exist for each of the nominal tube sizes however and this is only used as a guide.

Example: BLF-41 has a tube size of 3/16" and a thread measure of 1/2-20.

Measuring Imperial Threads: Measure the O.D. of the threads and the number of threads in one inch.

Measuring Metric Threads: Measure the O.D. of the threads and the crest to crest distance (pitch) in millimeters between threads.

Scan to view more information on the AGS automotive fittings program




SAE TUBE NUTS

SAE TUBE NUTS – To make a connection, place nut over the tubing with the threaded end pointed towards the end to be flared. The tube flare will be clamped between the nut and the flare seat when tightened.

Recommended Uses: Copper, Brass, Aluminum, & Steel Hydraulic Tubing
Working Temp (Pressure): -65°F to 250°F
Application: Brake, Fuel, Transmission

Fitting	5 Fittings/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	BLF-10C-5	BLF-10	BLF-10B	BLFX-10	STEEL	3/16"	3/8-24 LONG	INVERTED
	BLSF-10C-2**	BLSF-10	BLSF-10B	BLSFX-10	STAINLESS STEEL	3/16"	3/8-24 LONG	INVERTED
	BLF-11C-5	BLF-11	BLF-11B	BLFX-11	STEEL	3/16"	7/16-24	INVERTED

SAE TUBE NUTS (Continued)

Fitting	5 Fittings/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	BLSF-11C-2**	BLSF-11	BLSF-11B	BLSFX-11	STAINLESS STEEL	3/16"	7/16-24	INVERTED
	BLF-12C-5	BLF-12	BLF-12B	BLFX-12	STEEL	3/16"	3/8-24	INVERTED
	N/A	BLPF-12	N/A	N/A	STEEL/ BLACK OXIDE	3/16"	3/8-24	INVERTED
	BLSF-12C-2**	BLSF-12	BLSF-12B	BLSFX-12	STAINLESS STEEL	3/16"	3/8-24	INVERTED
	BLF-13C-5	BLF-13	BLF-13B	BLFX-13	STEEL	1/4"	7/16-24	INVERTED
	N/A	BLPF-13	N/A	N/A	STEEL/ BLACK OXIDE	1/4"	7/16-24	INVERTED
	BLSF-13C-2**	BLSF-13	BLSF-13B	BLSFX-13	STAINLESS STEEL	1/4"	7/16-24	INVERTED
	BLF-14C-5	BLF-14	BLF-14B	BLFX-14	STEEL	5/16"	1/2-20	INVERTED
	N/A	BLPF-14	N/A	N/A	STEEL/ BLACK OXIDE	5/16"	1/2-20	INVERTED
	BLSF-14C-2**	BLSF-14	BLSF-14B	BLSFX-14	STAINLESS STEEL	5/16"	1/2-20	INVERTED
	BLF-15C-5	BLF-15	BLF-15B	BLFX-15	STEEL	3/8"	5/8-18	INVERTED
	N/A	BLPF-15	N/A	N/A	STEEL/ BLACK OXIDE	3/8"	5/8-18	INVERTED
	BLSF-15C-2**	BLSF-15	BLSF-15B	BLSFX-15	STAINLESS STEEL	3/8"	5/8-18	INVERTED
	BLF-16C-5	BLF-16	BLF-16B	BLFX-16	STEEL	1/4"	7/16-24 Long	INVERTED
	BLSF-16C-2**	BLSF-16	BLSF-16B	BLSFX-16	STAINLESS STEEL	1/4"	7/16-24 Long	INVERTED
	BLF-38C-5	BLF-38	BLF-38B	BLFX-38	STEEL	3/16"	3/8-24	BUBBLE
	N/A	BLPF-38	N/A	N/A	STEEL/ BLACK OXIDE	3/16"	3/8-24	BUBBLE

*1 Fitting/Card **2 Fittings/Card

SAE TUBE NUTS (Continued)

Fitting	5 Fittings/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	BLSF-38C-2**	BLSF-38	BLSF-38B	BLSFX-38	STAINLESS STEEL	3/16"	3/8-24	BUBBLE
	BLF-41C-5	BLF-41	BLF-41B	BLFX-41	STEEL	3/16"	1/2-20	INVERTED
	BLSF-41C-2**	BLSF-41	BLSF-41B	BLSFX-41	STAINLESS STEEL	3/16"	1/2-20	INVERTED
	BLF-42C-5	BLF-42	BLF-42B	BLFX-42	STEEL	3/16"	9/16-18	INVERTED
	BLSF-42C-2**	BLSF-42	BLSF-42B	BLSFX-42	STAINLESS STEEL	3/16"	9/16-18	INVERTED
	BLF-43C-5	BLF-43	BLF-43B	BLFX-43	STEEL	1/4"	9/16-18	INVERTED
	BLSF-43C-2**	BLSF-43	BLSF-43B	BLSFX-43	STAINLESS STEEL	1/4"	9/16-18	INVERTED
	BLF-44C-5	BLF-44	BLF-44B	BLFX-44	STEEL	1/4"	1/2-20	INVERTED
	BLSF-44C-2**	BLSF-44	BLSF-44B	BLSFX-44	STAINLESS STEEL	1/4"	1/2-20	INVERTED
	BLF-64C*	N/A	BLF-64B	N/A	BASS	3/16"	3/8-24	INVERTED
	BLF-65C*	N/A	BLF-65B	N/A	BASS	1/4"	7/16-24	INVERTED
	N/A	N/A	BLF-78B	N/A	BASS	5/16"	1/2-20	INVERTED

*1 Fitting/Card **2 Fittings/Card


METRIC TUBE NUTS

METRIC TUBE NUTS – To make a connection, place nut over the tubing with the threaded end pointed towards the end to be flared. The tube flare will be clamped between the nut and the flare seat when tightened.

Recommended Uses: Copper, Brass, Aluminum, & Steel Hydraulic Tubing
Working Temp (Pressure): -65°F to 250°F
Application: Brake, Fuel, Transmission


Fitting	5 Fittings/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	BLF-39C-5	BLF-39	BLF-39B	BLFX-39	STEEL	3/16"	M10x1.0	BUBBLE

METRIC TUBE NUTS (Continued)

Fitting	5 Fittings/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	N/A	BLPF-39	N/A	N/A	STEEL/ BLACK OXIDE	3/16"	M10x1.0	BUBBLE
	BLSF-39C-2**	BLSF-39	BLSF-39B	BLSFX-39	STAINLESS STEEL	3/16"	M10x1.0	BUBBLE
	BLF-40C-5	BLF-40	BLF-40B	BLFX-40	STEEL	3/16"	M10x1.0	INVERTED
	N/A	BLPF-40	N/A	N/A	STEEL/ BLACK OXIDE	3/16"	M10x1.0	INVERTED
	BLSF-40C-2**	BLSF-40	BLSF-40B	BLSFX-40	STAINLESS STEEL	3/16"	M10x1.0	INVERTED
	BLF-46C-5	BLF-46	BLF-46B	BLFX-46	STEEL	6mm	M12x1.0	BUBBLE
	BLSF-46C-2**	BLSF-46	BLSF-46B	BLSFX-46	STAINLESS STEEL	6mm	M12x1.0	BUBBLE
	BLF-47C-5	BLF-47	BLF-47B	BLFX-47	STEEL	3/16"	M11x1.5	BUBBLE
	BLSF-47C-2**	BLSF-47	BLSF-47B	BLSFX-47	STAINLESS STEEL	3/16"	M11x1.5	BUBBLE
	BLF-48C-5	BLF-48	BLF-48B	BLFX-48	STEEL	3/16"	M12x1.0	BUBBLE
	BLSF-48C-2**	BLSF-48	BLSF-48B	BLSFX-48	STAINLESS STEEL	3/16"	M12x1.0	BUBBLE
	BLF-49C-5	BLF-49	BLF-49B	BLFX-49	STEEL	3/16"	M13x1.5	BUBBLE
	BLSF-49C-2**	BLSF-49	BLSF-49B	BLSFX-49	STAINLESS STEEL	3/16"	M13x1.5	BUBBLE
	BLF-51C-5	BLF-51	BLF-51B	BLFX-51	STEEL	6mm	M12x1.0	BUBBLE
	BLSF-51C-2**	BLSF-51	BLSF-51B	BLSFX-51	STAINLESS STEEL	6mm	M12x1.0	BUBBLE
	BLF-52C-5	BLF-52	BLF-52B	BLFX-52	STEEL	6mm	M12x1.5	BUBBLE
	BLF-53C-5	BLF-53	BLF-53B	BLFX-53	STEEL	6mm	M14x1.5	BUBBLE

*1 Fitting/Card **2 Fittings/Card

METRIC TUBE NUTS (Continued)

Fitting	5 Fittings/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	N/A	N/A	BLF-77B	N/A	STEEL	3/16"	M10x1.0	INVERTED
	N/A	N/A	BLF-174B	N/A	STEEL	3/16"	M10x1.0	BUBBLE
	N/A	N/A	BLF-175B	N/A	STEEL	1/8"	M12x1.0	INVERTED
	FLR-008C*	FLR-008	FLR-008B	FLRX-008	STEEL	3/8"	M16x1.5	SURFACE SEAL
	FLR-009C*	FLR-009	FLR-009B	FLRX-009	STEEL	5/16"	M14x1.5	SURFACE SEAL

*1 Fitting/Card

SAE UNIONS

SAE UNIONS – Use to join two lines together. Match the thread and flare type to the lines being connected. Both flare type and thread must match for a leak-proof connection.

Recommended Uses: Copper, Brass, Aluminum, & Steel Hydraulic Tubing

Working Temp (Pressure): -65°F to 250°F

Application: Brake, Fuel, Transmission

Fitting	1 Fitting/Card	10 Fittings/Bags	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	BLU-3C	BLU-3	BLU-3B	BLUX-3	BRASS	3/16"	3/8-24	INVERTED
	BLSU-3C-2*	BLSU-3	BLSU-3B	BLSUX-3	STAINLESS STEEL	3/16"	3/8-24	INVERTED
	BLU-4C	BLU-4	BLU-4B	BLUX-4	BRASS	1/4"	7/16-24	INVERTED
	BLSU-4C-2*	BLSU-4	BLSU-4B	BLSUX-4	STAINLESS STEEL	1/4"	7/16-24	INVERTED
	BLU-5C	BLU-5	BLU-5B	BLUX-5	BRASS	5/16"	1/2-20	INVERTED
	BLSU-5C-2*	BLSU-5	BLSU-5B	BLSUX-5	STAINLESS STEEL	5/16"	1/2-20	INVERTED
	BLU-6C	BLU-6	BLU-6B	BLUX-6	BRASS	3/8"	5/8-18	INVERTED
	BLSU-6C-2*	BLSU-6	BLSU-6B	BLSUX-6	STAINLESS STEEL	3/8"	5/8-18	INVERTED
	BLU-7C	BLU-7	BLU-7B	BLUX-7	STEEL	3/16"	3/8-24	BUBBLE

*2 Fittings/Card

SAE UNIONS (Continued)

Fitting	1 Fitting/Card	10 Fittings/Bags	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	BLSU-7C-2*	BLSU-7	BLSU-7B	BLSUX-7	STAINLESS STEEL	3/16"	3/8-24	BUBBLE
	BLF-59C	BLF-59	BLF-59B	BLFX-59	BRASS	3/16"	3/8-24	INVERTED
	N/A	N/A	BLF-74B	N/A	BRASS	1/4"	7/16-24	INVERTED
	N/A	N/A	BLF-99B	N/A	BRASS	5/16"	1/2-20	INVERTED
	N/A	N/A	BLF-100B	N/A	BRASS	3/16"	3/8-24	INVERTED
	N/A	N/A	BLF-107B	N/A	BRASS	3/8"	5/8-18	INVERTED

*2 Fittings/Card


METRIC UNIONS

METRIC UNIONS – Use to join two lines together. Match the thread and flare type to the lines being connected. Both flare type and thread must match for a leak-proof connection.

Recommended Uses: Copper, Brass, Aluminum, & Steel Hydraulic Tubing

Working Temp (Pressure): -65°F to 250°F

Application: Brake, Fuel, Transmission

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	BLU-8C	BLU-8	BLU-8B	BLUX-8	STEEL	3/16"	M10x1.0	BUBBLE
	BLSU-8C-2*	BLSU-8	BLSU-8B	BLSUX-8	STAINLESS STEEL	3/16"	M10x1.0	BUBBLE
	BLU-9C	BLU-9	BLU-9B	BLUX-9	BRASS	3/16"	M10x1.0	INVERTED
	BLSU-9C-2*	BLSU-9	BLSU-9B	BLSUX-9	STAINLESS STEEL	3/16"	M10x1.0	INVERTED
	BLU-10C	BLU-10	BLU-10B	BLUX-10	BRASS	6mm	M12x1.0	BUBBLE
	BLSU-10C-2*	BLSU-10	BLSU-10B	BLSUX-10	STAINLESS STEEL	6mm	M12x1.0	BUBBLE

*2 Fittings/Card

BRAKE ADAPTERS SAE TO SAE

BRAKE ADAPTERS SAE TO SAE – Allows connection of standard brake lines to different size master cylinder ports. Match the male side of the adapter to the port connection and the female end of the adapter to the brake line flare nut.

Recommended Uses: Hydraulic Brake Connections


Working Temp (Pressure): -65°F to 250°F

Application: Brake

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	BLF-17C	BLF-17	BLF-17B	BLFX-17	BRASS	1/2-20 INV	7/16-24 INV
	BLSF-17C-2*	BLSF-17	BLSF-17B	BLSFX-17	STAINLESS STEEL	1/2-20 INV	7/16-24 INV
	BLF-18C	BLF-18	BLF-18B	BLFX-18	BRASS	5/8-18 INV	1/2-20 INV
	BLF-19C	BLF-19	BLF-19B	BLFX-19	BRASS	7/16-24 INV	1/2-20 INV
	BLSF-19C-2*	BLSF-19	BLSF-19B	BLSFX-19	STAINLESS STEEL	7/16-24 INV	1/2-20 INV
	BLF-20C	BLF-20	BLF-20B	BLFX-20	BRASS	3/8-24 INV	1/2-20 INV
	BLF-21C	BLF-21	BLF-21B	BLFX-21	BRASS	1/2-20 INV	9/16-18 INV
	BLF-22C	BLF-22	BLF-22B	BLFX-22	BRASS	3/8-24 INV	7/16-24 INV
	BLSF-22C-2*	BLSF-22	BLSF-22B	BLSFX-22	STAINLESS STEEL	3/8-24 INV	7/16-24 INV
	BLF-23C	BLF-23	BLF-23B	BLFX-23	BRASS	7/16-24 INV	3/8-24 INV
	BLSF-23C-2*	BLSF-23	BLSF-23B	BLSFX-23	STAINLESS STEEL	7/16-24 INV	3/8-24 INV
	BLF-24C	BLF-24	BLF-24B	BLFX-24	BRASS	1/2-20 INV	5/8-18 INV
	BLF-25C	BLF-25	BLF-25B	BLFX-25	BRASS	7/16-24 INV	9/16-18 INV
	BLSF-25C-2*	BLSF-25	BLSF-25B	BLSFX-25	STAINLESS STEEL	7/16-24 INV	9/16-18 INV
	BLF-26C	BLF-26	BLF-26B	BLFX-26	BRASS	9/16-18 INV	1/2-20 INV
	BLF-27C	BLF-27	BLF-27B	BLFX-27	BRASS	3/8-24 INV	9/16-20 INV
	BLF-28C	BLF-28	BLF-28B	BLFX-28	BRASS	3/8-24 INV	9/16-18 INV
	BLSF-28C-2*	BLSF-28	BLSF-28B	BLSFX-28	STAINLESS STEEL	3/8-24 INV	9/16-18 INV

*2 Fittings/Card

BRAKE ADAPTERS SAE TO SAE *(Continued)*


Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	BLF-30C	BLF-30	BLF-30B	BLFX-30	BRASS	3/8-24 INV	3/8-24 BUB
	BLSF-30C-2*	BLSF-30	BLSF-30B	BLSFX-30	STAINLESS STEEL	3/8-24 INV	3/8-24 BUB
	BLF-55C	BLF-55	BLF-55B	BLFX-55	STEEL	3/8-24 BUB	7/16-20 BUB
	N/A	N/A	BLF-166B	N/A	BRASS	5/8-18 SAE	5/8-18 INV
	N/A	N/A	BLF-167B	N/A	STEEL	3/8-24 INV	1/2-20
	N/A	N/A	BLF-168B	N/A	STEEL	7/16-24 INV	7/16-20
	N/A	N/A	BLF-169B	N/A	BRASS	7/16-24 INV	1/2-20
	N/A	N/A	BLF-170B	N/A	BRASS	1/2-20 INV	1/2-20
	N/A	N/A	BLF-173B	N/A	BRASS	3/8-24 INV	1/2-20 BUB
	N/A	N/A	OGF-10B	N/A	STEEL	1/8-27 NPT	1/8-28 BSP

*2 Fittings/Card

BRAKE ADAPTERS SAE TO METRIC

BRAKE ADAPTERS SAE TO METRIC – Allows connection of standard brake lines to different size master cylinder ports. Match the male side of the adapter to the port connection and the female end of the adapter to the brake line flare nut.

Recommended Uses: Hydraulic Brake Connections
Working Temp (Pressure): -65°F to 250°F
Application: Brake

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	BLF-29C	BLF-29	BLF-29B	BLFX-29	BRASS	3/8-24 INV	M10x1.0 INV
	BLSF-29C-2*	BLSF-29	BLSF-29B	BLSFX-29	STAINLESS STEEL	3/8-24 INV	M10x1.0 INV
	BLF-31C	BLF-31	BLF-31B	BLFX-31	BRASS	3/8-24 INV	M10x1.0 BUB
	BLSF-31C-2*	BLSF-31	BLSF-31B	BLSFX-31	STAINLESS STEEL	3/8-24 INV	M10x1.0 BUB
	BLF-32C	BLF-32	BLF-32B	BLFX-32	BRASS	3/8-24 INV	M11x1.5 BUB

*2 Fittings/Card

BRAKE ADAPTERS SAE TO METRIC *(Continued)*

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	BLF-33C	BLF-33	BLF-33B	BLFX-33	BRASS	3/8-24 INV	M12x1.0 BUB
	BLSF-33C-2*	BLSF-33	BLSF-33B	BLSFX-33	STAINLESS STEEL	3/8-24 INV	M12x1.0 BUB
	BLF-34C	BLF-34	BLF-34B	BLFX-34	BRASS	3/8-24 INV	M13x1.5 BUB
	BLF-54C	BLF-54	BLF-54B	BLFX-54*	STEEL	3/8-24 BUB	M9x1.0 INV
	BLF-61C	BLF-61	BLF-61B	BLFX-61	STEEL	3/8-24 BUB	M12x1.0 BUB
	N/A	N/A1	BLF-171B	N/A	BRASS	M10x1.25 INV	3/8-24 INV
	N/A	N/A	BLF-172B	N/A	BRASS	M10x1.25 BUB	3/8-24 INV

* BLFX-54 available in quantities of 10 per box only

*2 Fittings/Card

BRAKE ADAPTERS SAE TO NPT

BRAKE ADAPTERS SAE TO NPT – Adapts carburetor to fuel line.

Recommended Uses: Hydraulic Brake Connections

Working Temp (Pressure): -65°F to 250°F

Application: Brake

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	BLF-72B	N/A	BRASS	7/16-24	1/4 NPTM
	N/A	N/A	BLF-73B	N/A	BRASS	5/8-18 INV	1/4 NPTM
	N/A	N/A	BLF-86B	N/A	BRASS	5/16-28 INV	1/8 NPTM
	N/A	N/A	BLF-87B	N/A	BRASS	5/8-18 INV	1/8" NPTM
	N/A	N/A	BLF-88B	N/A	BRASS	5/8-18 INV	3/8" NPTM
Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Male Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	PTF-79	N/A	BRASS	3/8-24 INV	1/8" NPT

BRAKE ADAPTERS METRIC TO METRIC

BRAKE ADAPTERS METRIC TO METRIC – Allows connection of standard brake lines to different size master cylinder ports. Match the male side of the adapter to the port connection and the female end of the adapter to the brake line flare nut.

Recommended Uses: Hydraulic Brake Connections

Working Temp (Pressure): -65°F to 250°F

Application: Brake

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	BLF-35C	BLF-35	BLF-35B	BLFX-35	BRASS	M10x1.0 INV	M11x1.5 BUB
	BLF-36C	BLF-36	BLF-36B	BLFX-36	BRASS	M10x1.0 INV	M12x1.0 BUB
	BLSF-36C-2*	BLSF-36	BLSF-36B	BLSFX-36	STAINLESS STEEL	M10x1.0 INV	M12x1.0 BUB
	BLF-37C	BLF-37	BLF-37B	BLFX-37	BRASS	M10x1.0 INV	M13x1.5 BUB
	N/A	N/A	BLF-219B	N/A	BRASS	M10x1.0 BUB	M11x1.5 BUB
	N/A	N/A	BLF-220B	N/A	BRASS	M10x1.0 BUB	M12x1.0 BUB
	N/A	N/A	BLF-221B	N/A	BRASS	M10x1.0 BUB	M13x1.5 BUB

*2 Fittings/Card

MALE CONNECTOR FLARE TO FLARE

MALE CONNECTOR FLARE TO FLARE – Tube-to-tube male union connects two 45° female flared pipe ends.

Recommended Uses: Copper, Brass, & Iron

Working Temp (Pressure): -65°F to 250°F (1,000 psi)

Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	BLU-11B	N/A	BRASS	3/16"	3/8-24 SAE
	N/A	N/A	BLU-12B	N/A	BRASS	1/4"	7/16-20 SAE
	N/A	N/A	BLU-13B	N/A	BRASS	5/16"	1/2-20 SAE

MALE CONNECTOR FLARE TO NPT

MALE CONNECTOR FLARE TO NPT – Tube-to-flare male union connects tube to female pipe thread fitting.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Male Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	BLF-131B	N/A	BRASS	3/8-24 SAE	1/8 NPT
	N/A	N/A	BLF-132B	N/A	BRASS	7/16-20 SAE	1/8 NPT
	N/A	N/A	BLF-133B	N/A	BRASS	7/16-20 SAE	1/4 NPT
	N/A	N/A	BLF-134B	N/A	BRASS	1/2-20 SAE	1/8 NPT
	N/A	N/A	BLF-135B	N/A	BRASS	1/2-20 SAE	1/4 NPT
	N/A	N/A	BLF-137B	N/A	BRASS	5/8-18 SAE	1/4 NPT
	N/A	N/A	BLF-138B	N/A	BRASS	5/8-18 SAE	3/8 NPT
	N/A	N/A	BLF-141B*	N/A	BRASS	1/2-20 SAE	3/8 NPT

*5 Bags/Case

MALE ELBOW FLARE TO NPT

MALE ELBOW FLARE TO NPT – Tube-to-pipe thread male elbow.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Male Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	BLF-146B	N/A	BRASS	7/16-20 SAE	1/8 NPT
	N/A	N/A	BLF-149B	N/A	BRASS	1/2-20 SAE	1/8 NPT
	N/A	N/A	BLF-152B	N/A	BRASS	5/8-18 SAE	1/4 NPT

SAE PLUGS

SAE PLUG – Use for terminating or plugging a port opening. Tighten with a wrench for a leak-proof seal.

Recommended Uses: Copper, Brass, Aluminum, & Steel Hydraulic Tubing

Working Temp (Pressure): -65°F to 250°F

Application: Brake, Fuel, Transmission

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread Size	Flare Type
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	BLF-60C	BLF-60	BLF-60B	BLFX-60	BRASS	3/16"	3/8-24	INVERTED
	BLF-62C	N/A	BLF-62B	N/A	BRASS	1/4"	7/16-24	INVERTED
	BLF-63C	N/A	BLF-63B	N/A	BRASS	5/16"	1/2-20	INVERTED
	N/A	N/A	BLF-217B	N/A	BRASS	3/8"	5/8-18	INVERTED

NPT PLUGS

NPT PLUGS – Use for terminating or plugging a port opening. Tighten with a wrench for a leak-proof seal.

Recommended Uses: Copper, Brass, & Iron

Working Temp (Pressure): -65°F to 250°F (1,000 psi)

Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Hex	Thread Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	HHP-10B	N/A	BRASS	3/16"	1/8 NPT
	N/A	N/A	HHP-11B	N/A	BRASS	1/4"	1/4 NPT
	N/A	N/A	HHP-12B	N/A	BRASS	5/16"	3/8 NPT
	N/A	N/A	HHP-13B	N/A	BRASS	3/8"	1/2 NPT
	PTF-10C	N/A	PTF-10B	N/A	BRASS	N/A	1/8 NPT
	PTF-11C	N/A	PTF-11B	N/A	BRASS	N/A	1/4 NPT
	PTF-12C	N/A	PTF-12B	N/A	BRASS	N/A	3/8 NPT
	PTF-13C	N/A	PTF-13B	N/A	BRASS	N/A	1/2 NPT
	N/A	N/A	PTF-14B*	N/A	BRASS	N/A	3/4 NPT
	N/A	N/A	PTF-58B	N/A	BRASS	N/A	1/8 NPT (SQUARE)

NPT PLUGS (Continued)

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Hex	Thread Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	PTF-59C	N/A	PTF-59B	N/A	BRASS	N/A	1/4 NPT (SQUARE)
	N/A	N/A	PTF-60B	N/A	BRASS	N/A	3/8 NPT (SQUARE)
	N/A	N/A	PTP-1B	N/A	BRASS	N/A	1/8 NPT
	N/A	N/A	PTP-2B	N/A	BRASS	N/A	1/4 NPT

*5 Bags/Case

NPT ADAPTERS

NPT ADAPTERS – Convert between different NPT thread sizes. Threads conform to the American standard taper pipe thread & resist vibration. Tighten a minimum of 2-1/2 turns after hand tightening for air tight seal.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/ Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	PTF-51B	N/A	BRASS	1/8 NPT	1/8 NPT
	PTF-52C	N/A	PTF-52B	N/A	BRASS	1/4 NPT	1/8 NPT
	N/A	N/A	PTF-53B	N/A	BRASS	1/4 NPT	1/4 NPT
	PTF-54C	N/A	PTF-54B*	N/A	BRASS	3/8 NPT	1/4 NPT
	N/A	N/A	PTF-55B*	N/A	BRASS	3/8 NPT	3/8 NPT
	PTF-56C	N/A	PTF-56B*	N/A	BRASS	1/2 NPT	3/8 NPT

*5 Bags/Case

Fittings

NPT END CAPS

NPT END CAPS – Pipe thread end cap closes allows for the complete blocking and closure of the tube end.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F
 (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/ Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case			
	N/A	N/A	PTC-1B	N/A	BRASS	1/8 NPT
	N/A	N/A	PTC-2B	N/A	BRASS	1/4 NPT
	N/A	N/A	PTC-3B	N/A	BRASS	3/8 NPT

NPT BUSHING

NPT BUSHING – Convert between different NPT thread sizes. Threads conform with the American standard taper pipe thread & resist vibration. Tighten a minimum of 2-1/2 turns after hand tightening for air tight seal.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F
 (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	PTF-15C	N/A	PTF-15B	N/A	BRASS	1/8 NPT	1/4 NPT
	PTF-16C	N/A	PTF-16B	N/A	BRASS	1/8 NPT	3/8 NPT
	PTF-17C	N/A	PTF-17B	N/A	BRASS	1/4 NPT	3/8 NPT
	N/A	N/A	PTF-18B	N/A	BRASS	1/4 NPT	3/8 NPT
	PTF-19C	N/A	PTF-19B*	N/A	BRASS	1/4 NPT	1/2 NPT
	PTF-20C	N/A	PTF-20B*	N/A	BRASS	3/8 NPT	3/4 NPT
	N/A	N/A	PTF-21B*	N/A	BRASS	3/8 NPT	3/4 NPT
	PTF-22C	N/A	PTF-22B*	N/A	BRASS	1/2 NPT	3/4 NPT

*5 Bags/Case

NPT NIPPLE

NPT NIPPLE – Threads conform with the American standard taper pipe thread & resist vibration. Tighten a minimum of 2-1/2 turns after hand tightening for air tight seal.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F
 (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/ Bag	1 Fitting/Bag	100/Box	Material	Type	Length	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	PTF-23C	N/A	PTF-23B	N/A	BRASS	CLOSE	3/4"	1/8 NPT
	PTF-24C	N/A	PTF-24B	N/A	BRASS	CLOSE	7/8"	1/4 NPT
	PTF-25C	N/A	PTF-25B	N/A	BRASS	CLOSE	1"	3/8 NPT
	PTF-26C	N/A	PTF-26B	N/A	BRASS	CLOSE	1-1/8"	1/2 NPT
	PTF-27C	N/A	PTF-27B	N/A	BRASS	LONG	1-1/2"	1/8 NPT
	N/A	N/A	PTF-28B	N/A	BRASS	LONG	2"	1/8 NPT
	N/A	N/A	PTF-29B	N/A	BRASS	LONG	2-1/2"	1/8 NPT
	PTF-32C	N/A	PTF-32B	N/A	BRASS	LONG	1-1/2"	1/4 NPT
	N/A	N/A	PTF-33B*	N/A	BRASS	LONG	2"	1/4 NPT
	N/A	N/A	PTF-37B	N/A	BRASS	LONG	1-1/2"	3/8 NPT
	N/A	N/A	PTF-38B	N/A	BRASS	LONG	2"	3/8 NPT
	PTF-64C	N/A	PTF-64B	N/A	BRASS	HEX	1-3/8"	1/4 NPT
	PTF-66C	N/A	PTF-66B	N/A	BRASS	HEX	1-7/16"	3/8 NPT

*5 Bags/Case

Fitting	1 Fitting/Card	10 Fittings/ Bag	1 Fitting/Bag	100/Box	Material	Type	Male Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	N/A	N/A	PTF-62B	N/A	BRASS	HEX	1/8 NPT	1/8 NPT
	N/A	N/A	PTF-63B	N/A	BRASS	HEX	1/4 NPT	1/8 NPT
	N/A	N/A	PTF-65B	N/A	BRASS	HEX	3/8 NPT	1/4 NPT

NPT ELBOW

NPT ELBOW – Threads conform with the American standard taper pipe thread & resist vibration. Tighten a minimum of 2-1/2 turns after hand tightening for air tight seal.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F
 (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Female Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	PTE-10B	N/A	BRASS	1/8 NPT	1/8 NPT
	N/A	N/A	PTE-11B*	N/A	BRASS	1/4 NPT	1/4 NPT
	N/A	N/A	PTE-12B	N/A	BRASS	3/8 NPT	3/8 NPT

*5 Bags/Case

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	PTF-46C	N/A	PTF-46B	N/A	BRASS	1/8 NPT	1/8 NPT
	PTF-47C	N/A	PTF-47B	N/A	BRASS	1/4 NPT	1/4 NPT
	PTF-48C	N/A	PTF-48B*	N/A	BRASS	3/8 NPT	3/8 NPT
	N/A	N/A	PTF-49B*	N/A	BRASS	1/4 NPT	1/8 NPT
	N/A	N/A	PTF-50B*	N/A	BRASS	1/2 NPT	1/2 NPT
	PTF-69C	N/A	PTF-69B	N/A	BRASS	1/8 NPT	1/8 NPT
	N/A	N/A	PTF-70B	N/A	BRASS	1/4 NPT 45°	1/4 NPT
	PTF-71C	N/A	PTF-71B	N/A	BRASS	3/8 NPT	3/8 NPT

*5 Bags/Case

NPT TEE

NPT TEE – Threads conform with the American standard taper pipe thread & resist vibration. Tighten a minimum of 2-1/2 turns after hand tightening for air tight seal.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	BLF-58C	BLF-58	BLF-58B	BLFX-58	BRASS	3/8-24 INVERTED	1/8 NPT
	BLF-70C	N/A	BLF-70B	N/A	BRASS	1/8 NPT	N/A
	BLF-71C	N/A	BLF-71B	N/A	BRASS	1/4 NPT	N/A
	N/A	N/A	BLF-161B	N/A	BRASS	3/8 NPT	N/A
	N/A	N/A	BLF-162B*	N/A	BRASS	1/2 NPT	N/A
	N/A	N/A	PTF-72B	N/A	BRASS	1/8 NPT	1/8 NPT
	PTF-73C	N/A	PTF-73B	N/A	BRASS	1/4 NPT	1/4 NPT
	N/A	N/A	PTF-74B*	N/A	BRASS	3/8 NPT	3/8 NPT

*5 Bags/Case

NPT COUPLING

NPT COUPLING – Threads conform with the American standard taper pipe thread & resist vibration. Tighten a minimum of 2-1/2 turns after hand tightening for air tight seal.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Thread Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case			
	PTU-10C	N/A	PTU-10B	N/A	BRASS	1/8 NPT
	PTU-11C	N/A	PTU-11B	N/A	BRASS	1/4 NPT
	PTU-12C	N/A	PTU-12B*	N/A	BRASS	3/8 NPT
	PTU-13C	N/A	PTU-13B*	N/A	BRASS	1/2 NPT

*5 Bags/Case

REDUCING COUPLING

REDUCING COUPLING – Pipe thread reducing coupling reduces the pipe thread diameter.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Female Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	PFT-75B	N/A	BRASS	1/4 NPT	1/8 NPT
	N/A	N/A	PTF-77B*	N/A	BRASS	3/8 NPT	1/4 NPT
	N/A	N/A	PTF-78B*	N/A	BRASS	1/2 NPT	3/8 NPT

*5 Bags/Case

FLARED NUT

FLARED NUT – Female long nut for flared tubing. Flare seals at base of female thread to attach to male thread and seat.

Recommended Uses: Copper, Brass, & Aluminum
Working Temp (Pressure): Tubing Dependent
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Type	Tube Size	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	N/A	N/A	BLF-102B	N/A	BRASS	SHORT	3/16"	3/8-24 SAE
	N/A	N/A	BLF-103B	N/A	BRASS	SHORT	1/4"	7/16-20 SAE
	N/A	N/A	BLF-108B	N/A	BRASS	LONG	3/16"	3/8-24 SAE
	N/A	N/A	BLF-109B	N/A	BRASS	LONG	1/4"	7/16-20 SAE
	N/A	N/A	BLF-110B	N/A	BRASS	LONG	5/16"	1/2-20 SAE
	N/A	N/A	BLF-111B	N/A	BRASS	LONG	3/8"	5/8-18 SAE

SAE TO NPT FEMALE CONNECTOR

SAE TO NPT FEMALE CONNECTOR – Adapts an SAE inverted thread to a thread which conform with American standard taper pipe thread.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	BLF-94B	N/A	BRASS	3/8-24 INVERTED	1/8 NPT
	N/A	N/A	BLF-95B	N/A	BRASS	7/16-24 INVERTED	1/8 NPT
	N/A	N/A	BLF-115B	N/A	BRASS	1/8 NPT	7/16-20 SAE

SAE TO NPT MALE CONNECTOR

SAE TO NPT MALE CONNECTOR – Adapts an SAE inverted thread to a thread which conform with American standard taper pipe thread.

Recommended Uses: Copper, Brass, & Iron
Working Temp (Pressure): -65°F to 250°F (1,000 psi)
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	BLF-56C	BLF-56	BLF-56B	BLFX-56	BRASS	3/8-24 INVERTED	1/8 NPT
	BLF-57C	BLF-57	BLF-57B	BLFX-57	BRASS	3/8-24 INVERTED	1/8 NPT
	BLF-66C	N/A	BLF-66B	N/A	BRASS	7/16-24 INVERTED	1/8 NPT
	BLF-67C	N/A	BLF-67B	N/A	BRASS	7/16-24 INVERTED	1/8 NPT
	BLF-68C	N/A	BLF-68B	N/A	BRASS	1/2-20 INVERTED	1/8 NPT
	BLF-69C	N/A	BLF-69B	N/A	BRASS	1/2-20 INVERTED	1/4 NPT
	N/A	N/A	BLF-80B	N/A	BRASS	7/16-24 INVERTED	1/4 NPT
	N/A	N/A	BLF-81B	N/A	BRASS	1/2-20 INVERTED	1/8 NPT
	N/A	N/A	BLF-82B	N/A	BRASS	5/8-18 INVERTED	1/8 NPT
	N/A	N/A	BLF-84B	N/A	BRASS	5/8-18 INVERTED	1/4 NPT
	N/A	N/A	BLF-85B	N/A	BRASS	5/8-18 INVERTED	3/8 NPT

FEMALE NPT TO COMPRESSION

FEMALE NPT TO COMPRESSION – For low pressure applications. Compression to female pipe thread coupling joins a tube end to a male NPT fitting.

Recommended Uses: Copper, Brass, & Aluminum
Working Temp (Pressure): Tubing Dependent
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Female Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	CFF-1B	N/A	BRASS	1/8"	1/8 NPT
	N/A	N/A	CFF-2B	N/A	BRASS	3/16"	1/8 NPT
	N/A	N/A	CFF-3B	N/A	BRASS	1/4"	1/8 NPT
	N/A	N/A	CFF-6B	N/A	BRASS	5/16"	1/4 NPT
	N/A	N/A	CFF-8B	N/A	BRASS	3/8"	1/4 NPT

MALE NPT TO COMPRESSION

MALE NPT TO COMPRESSION – Adapts a compression connection to a thread which conform with American standard taper pipe thread.

Recommended Uses: Copper, Brass, & Aluminum
Working Temp (Pressure): Tubing Dependent
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	CF-10C	N/A	CF-10B	N/A	BRASS	1/8"	1/8 NPT
	N/A	N/A	CF-11B	N/A	BRASS	3/16"	1/8 NPT
	CF-12C	N/A	CF-12B	N/A	BRASS	1/4"	1/8 NPT
	CF-13C	N/A	CF-13B	N/A	BRASS	1/4"	1/4 NPT
	N/A	N/A	CF-14B	N/A	BRASS	5/16"	1/8 NPT
	N/A	N/A	CF-15B	N/A	BRASS	5/16"	1/4 NPT
	N/A	N/A	CF-16B	N/A	BRASS	3/8"	1/8 NPT
	CF-17C	N/A	CF-17B	N/A	BRASS	3/8"	1/4 NPT
	N/A	N/A	CF-18B*	N/A	BRASS	3/8"	3/8 NPT

MALE NPT TO COMPRESSION *(Continued)*

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	CF-22B	N/A	BRASS	1/2"	3/8 NPT
	N/A	N/A	CF-26B	N/A	BRASS	1/8"	1/8 NPT
	N/A	N/A	CF-27B	N/A	BRASS	3/16"	1/8 NPT
	N/A	N/A	CF-28B	N/A	BRASS	1/4"	1/4 NPT
	CF-29C	N/A	CF-29B	N/A	BRASS	1/4"	1/8 NPT
	N/A	N/A	CF-30B	N/A	BRASS	5/16"	1/8 NPT
	N/A	N/A	CF-33B*	N/A	BRASS	3/8"	1/4 NPT
	N/A	N/A	CF-34B	N/A	BRASS	3/8"	3/8 NPT

*5 Bags/Case

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	CFD-7B	N/A	BRASS	7/16-24	1/8 NPT

COMPRESSION UNION

COMPRESSION UNION – Used in low pressure applications. To make a connection, place nut and then the sleeve over the tubing and insert tube into fitting body. When tight, the wedging action creates a leak-free connection.

Recommended Uses: Copper, Brass, & Aluminum
Working Temp (Pressure): Tubing Dependent
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case			

COMPRESSION UNION



NOT for use
with Braking
Systems

CF-0	CFB-0	CF-0B	CFX-0	BRASS	1/8"
CF-1	CFB-1	CF-1B	CFX-1	BRASS	3/16"
CFST-1C	N/A	CFST-1B	N/A	BLACK OXIDE COATED STEEL	3/16"
CF-2	CFB-2	CF-2B	CFX-2	BRASS	1/4"
CFST-2C	N/A	CFST-2B	N/A	BLACK OXIDE COATED STEEL	1/4"
CF-3	CFB-3	CF-3B	CFX-3	BRASS	5/16"
CFST-3C	N/A	CFST-3B	N/A	BLACK OXIDE COATED STEEL	5/16"
CF-4	CFB-4	CF-4B	CFX-4	BRASS	3/8"

COMPRESSION UNION (Continued)

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case			

COMPRESSION UNION



CFST-4C	N/A	CFST-4B	N/A	BLACK OXIDE COATED STEEL	3/8"
CF-5	CFB-5*	CF-5B**	CFX-5***	BRASS	1/2"
CFST-5C	N/A	CFST-5B	N/A	BLACK OXIDE COATED STEEL	1/2"
N/A	N/A	CF-6B	N/A	BRASS	5/8"
CFST-10C	N/A	CFST-10B	N/A	BLACK OXIDE COATED STEEL	10mm

*CFB-5 available in quantities of 5/Bag only. **CF-5B available in quantities of 5 Bags/Case. ***CFX-5 available in quantities of 10/Box only.

COMPRESSION SLEEVE



CFS-0C	CFS-0B-10	CFS-0B	N/A	BRASS	1/8"
CFS-1C	CFS-1B-10	CFS-1B	N/A	BRASS	3/16"
CFS-2C	CFS-2B-10	CFS-2B	N/A	BRASS	1/4"
CFS-3C	CFS-3B-10	CFS-3B	N/A	BRASS	5/16"
CFS-4C	CFS-4B-10	CFS-4B	N/A	BRASS	3/8"
CFS-5C	CFS-5B-10	CFS-5B	N/A	BRASS	1/2"
N/A	N/A	CF-9B	N/A	BRASS	5/8"

COMPRESSION NUT



CFN-0C	CFN-0B-5*	CFN-0B	N/A	BRASS	1/8"
N/A	CFN-1B-5*	N/A	N/A	BRASS	3/16"
CFN-2C	CFN-2B-5*	CFN-2B	N/A	BRASS	1/4"
N/A	CFN-3B-5*	N/A	N/A	BRASS	5/16"
CFN-4C	CFN-4B-5*	CFN-4B	N/A	BRASS	3/8"

DOUBLE COMPRESSION NUT



N/A	N/A	CFD-0B	N/A	BRASS	5/16-24	1/8"
-----	-----	--------	-----	-------	---------	------

CFA-1 COMPRESSION UNION ASSORTMENT – 6 SKU

An assortment that contains 1/8", 3/16", 1/4", 5/16", 3/8", and 1/2" compression unions (22 pieces) for joining copper, brass, or aluminum tubing in low-pressure applications (NOT for use in braking systems).

ASSORTMENT CONTENT			
Part No.	QTY	Part No.	QTY
CF-0	2	CF-3	2
CF-1	10	CF-4	2
CF-2	4	CF-5	2



COMPRESSION TEE

COMPRESSION TEE – Used in low pressure applications. To make a connection, place nut and then the sleeve over the tubing and insert tube into fitting body. When tight, the wedging action creates a leak-free connection.

Recommended Uses: Copper, Brass, & Aluminum
Working Temp (Pressure): Tubing Dependent
Application: Oil, Water, Air, & Natural Gas

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case			
	N/A	N/A	CFT-2B	N/A	BRASS	5/16"
	N/A	N/A	CFT-3B	N/A	BRASS	3/8"

MALE CLAMP HOSE FITTINGS

MALE CLAMP HOSE FITTINGS – For low pressure applications. To assemble, cut hose squarely. Slide clamp onto hose and then lubricate. Push hose onto fitting until bottoming out. Position clamp between fitting ball and end of hose.

Recommended Uses: Multi-Purpose Hose
Working Temp (Pressure): -40°F to 250°F (60 psi)
Application: Fuel, Oil, & Vacuum

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Hose Size	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	CHF-10C	N/A	CHF-10B	N/A	BRASS	3/16"	1/8" NPT
	CHF-11C	N/A	CHF-11B	N/A	BRASS	1/4"	1/8" NPT
	CHF-12C	N/A	CHF-12B	N/A	BRASS	5/16"	1/8" NPT
	CHF-13C	N/A	CHF-13B	N/A	BRASS	1/4"	1/4" NPT
	CHF-14C	N/A	CHF-14B	N/A	BRASS	5/16"	1/4" NPT
	CHF-15C	N/A	CHF-15B	N/A	BRASS	3/8"	1/8" NPT
	CHF-17C	N/A	CHF-17B	N/A	BRASS	3/8"	1/4" NPT
	CHF-18C	N/A	CHF-18B	N/A	BRASS	3/8"	3/8" NPT
	N/A	N/A	CHF-19B	N/A	BRASS	5/16"	7/16-24 INVERTED
	N/A	N/A	CHF-21B	N/A	BRASS	3/8"	1/2-20 INVERTED
	N/A	N/A	CHF-22B	N/A	BRASS	5/16"	5/8-18 INVERTED
	N/A	N/A	CHF-26B	N/A	BRASS	5/16"	1/2-20 INVERTED

MALE CLAMP HOSE FITTINGS (Continued)

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Hose Size	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	CHF-27B	N/A	BRASS	3/8"	1/2-20 INVERTED
	N/A	N/A	CHF-28B	N/A	BRASS	3/8"	5/8-18 INVERTED
	N/A	N/A	CHF-30B	N/A	BRASS	5/16"	1/2-20 INVERTED
	N/A	N/A	CHF-32B	N/A	BRASS	1/4"	1/8 NPT
	N/A	N/A	CHF-33B	N/A	BRASS	5/16"	1/8 NPT
	N/A	N/A	CHF-34B	N/A	BRASS	3/8"	1/8 NPT
	N/A	N/A	CHF-35B	N/A	BRASS	5/16"	1/4 NPT
	FHF-10C	N/A	FHF-10B	N/A	BRASS	1/4"	1/8 NPT
	FHF-11C	N/A	FHF-11B	N/A	BRASS	3/8"	3/8 NPT
	FHF-12C	N/A	FHF-12B	N/A	BRASS	3/8"	1/8 NPT
	FHF-13C	N/A	FHF-13B	N/A	BRASS	3/8"	1/4 NPT
	FHF-14C	N/A	FHF-14B	N/A	BRASS	5/16"	1/4 NPT
	FHF-15C	N/A	FHF-15B	N/A	BRASS	5/16"	1/2-20 INVERTED
	FHF-16C	N/A	FHF-16B	N/A	BRASS	3/8"	1/4 NPT
	FHF-17C	N/A	FHF-17B	N/A	BRASS	3/8"	5/8-18 INVERTED

Fittings

CLAMP HOSE TEE

CLAMP HOSE TEE – For low pressure applications. To assemble, cut hose squarely. Slide clamp onto hose and then lubricate. Push hose onto fitting until bottoming out. Position clamp between fitting ball and end of hose.

Recommended Uses: Multi-Purpose Hose
Working Temp (Pressure): Tubing Dependant
Application: Fuel, Oil, & Vacuum

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Hose Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case			
	N/A	N/A	CHF-39B	N/A	BRASS	1/4"
	N/A	N/A	CHF-40B	N/A	BRASS	5/16"
	N/A	N/A	CHF-41B	N/A	BRASS	3/8"

PUSH-ON HOSE FITTINGS

PUSH-ON HOSE FITTINGS – For low & medium pressure applications. Quick connecting and high resistance to vibration.

Recommended Uses: Multi-Purpose Hose
Working Temp (Pressure): -40°F to 250°F (150 psi)
Application: Fuel, Fluid, & Vacuum

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	PHE-10B	N/A	BRASS	1/4"	1/8 NPT
	N/A	N/A	PHE-11B	N/A	BRASS	5/16"	1/8 NPT
	N/A	N/A	PHE-12B	N/A	BRASS	1/4"	1/4 NPT
	N/A	N/A	PHE-13B	N/A	BRASS	5/16"	1/4 NPT
	N/A	N/A	PHE-14B	N/A	BRASS	1/4"	1/4 NPT
	N/A	N/A	PHE-15B	N/A	BRASS	5/16"	3/8 NPT
	N/A	N/A	PHE-16B*	N/A	BRASS	3/8"	3/8 NPT
	PHF-10C	N/A	PHF-10B	N/A	BRASS	1/4"	1/8 NPT
	N/A	N/A	PHF-11B	N/A	BRASS	5/16"	1/8 NPT
	N/A	N/A	PHF-12B	N/A	BRASS	1/4"	1/4 NPT
	N/A	N/A	PHF-13B	N/A	BRASS	5/16"	1/4 NPT
	PHF-14C	N/A	PHF-14B	N/A	BRASS	3/8"	1/4 NPT
	N/A	N/A	PHF-17B*	N/A	BRASS	1/2"	3/8 NPT
	N/A	N/A	PHF-18B*	N/A	BRASS	1/2"	1/2 NPT
	N/A	N/A	PHF-19B	N/A	BRASS	1/4"	N/A
	N/A	N/A	PHF-20B	N/A	BRASS	5/16"	N/A
	N/A	N/A	PHF-21B	N/A	BRASS	3/8"	N/A
	N/A	N/A	PHR-14B	N/A	BRASS	3/8"	5/8-18 INVERTED

*5 Bags/Case

PUSH-ON SWIVEL HOSE

PUSH-ON SWIVEL HOSE – : For low pressure applications. Joins tubing with inverted type flare to male push-on hose barb that swivels.

Recommended Uses: Multi-Purpose Hose
Maximum Pressure: -40°F to 250°F
Application: Fuel, Oil, & Vacuum

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	PHSF-11B	N/A	BRASS	1/4"	7/16-24 INVERTED
	N/A	N/A	PHS-12B	N/A	BRASS	1/4"	1/2-20 INVERTED
	N/A	N/A	PHS-13B	N/A	BRASS	5/16"	1/2-20 INVERTED
	N/A	N/A	PHS-14B	N/A	BRASS	3/8"	1/2-20 INVERTED
	N/A	N/A	PHS-15B*	N/A	BRASS	5/16"	5/8-18 INVERTED
	N/A	N/A	PHS-16B*	N/A	BRASS	3/8"	5/8-18 INVERTED

*5 Bags/Case

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size	Female Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	PHSF-10B	N/A	BRASS	1/4"	7/16-20 SAE

GREASE FITTINGS

GREASE FITTINGS – Used in many automotive applications. Plated to resist corrosion. Fittings are hardened and supplied with ball check (except drive-type).

Recommended Uses: Multi-Purpose
Maximum Pressure: 10,000 psi
 (Drive-Type is 1,000 psi)

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Type	Length	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	GF-10C	N/A	GF-10B	N/A	STEEL	45° ELBOW	1-3/64"	1/8 NPT
	GF-11C	N/A	GF-11B	N/A	STEEL	90° ELBOW	27/32"	1/8 NPT
	GF-12C	N/A	GF-12B	N/A	STEEL	SHORT STRAIGHT	9/16"	1/4-28
	GF-13C	N/A	GF-13B	N/A	STEEL	LONG STRAIGHT	23/32"	1/4-28
	GF-14C	N/A	GF14B	N/A	STEEL	90° ELBOW	49/64"	1/4-28

GREASE FITTINGS

Fitting	1 Fitting/Card	10 Fittings/ Bag	1 Fitting/Bag	100/Box	Material	Type	Length	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	GF-15C	GF-15B-5	GF-15B	N/A	STEEL	DRIVE-TYPE	9/16"	1/4-28
	GF-16C	N/A	GF-16B	N/A	STEEL	STRAIGHT	31/32"	1/4 NPT
	GF-17C	N/A	GF-17B	N/A	STEEL	DRIVE-TYPE	37/64"	3/16"
	GF-18C	N/A	GF-18B	N/A	STEEL	STRAIGHT	12.8mm	M6x1.0
	GF-19C	N/A	GF-19B	N/A	STEEL	STRAIGHT	16.3mm	M8x1.0
	GF-20C	N/A	GF-20B	N/A	STEEL	45° ELBOW	24.1mm	M8x1.0
	GF-21C	N/A	GF-21B	N/A	STEEL	STRAIGHT	15.5mm	M10x1.0
	GF-22C	N/A	GF-22B	N/A	STEEL	STRAIGHT	43/64"	1/8 NPT

DRAIN COCKS

DRAIN COCKS – For low pressure applications. External seat & internal seat drain cocks provide leak-proof metal to metal seal with only hand tightening.

Recommended Uses: Low Pressure
Working Temperatures: -65°F to 250°F
Application: Vacuum, Water, & Anti-Freeze Lines

Fitting	1 Fitting/Card	10 Fitting/Bag	1 Fitting/Bag	100/Box	Material	Type	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	N/A	N/A	DCF-9	N/A	BRASS	STANDARD	N/A	1/8 NPT
	DCF-10C	N/A	DCF-10B	N/A	BRASS	STANDARD	N/A	1/4 NPT
	N/A	N/A	DCF-13B	N/A	BRASS	BACK SEATING	N/A	1/8 NPT
	DCF-14C	N/A	DCF-14B	N/A	BRASS	BACK SEATING	N/A	1/4 NPT
	N/A	N/A	DCF-15B*	N/A	BRASS	BACK SEATING	N/A	3/8 NPT
	N/A	N/A	DCF-18B*	N/A	BRASS	STANDARD	N/A	1/4 NPT
	N/A	N/A	DCF-28B	N/A	BRASS	SHUTOFF	N/A	1/8 NPT

DRAIN COCKS *(Continued)*

Fitting	1 Fitting/Card	10 Fitting/Bag	1 Fitting/Bag	100/Box	Material	Type	Female Thread	Male Thread
	10 Cards/Case	1 Bag/Case	10 Bags/Case					
	N/A	N/A	SOC-10B*	N/A	BRASS	SHUTOFF	N/A	1/8 NPTM
	N/A	N/A	SOC-11B**	N/A	BRASS	SHUTOFF	N/A	1/4 NPTM
	N/A	N/A	SOC-15B**	N/A	BRASS	SHUTOFF	1/4 NPT	1/4 NPT
	N/A	N/A	SOC-26B	N/A	BRASS	SHUTOFF	1/4 NPTF	N/A

*5 Bags/Case ** 3 Bags/Case

PLASTIC CONNECTOR

PLASTIC CONNECTOR – For windshield washer and vacuum lines. Made of high density polypropylene. Barbed ends allow quick connection.

Recommended Uses: Multi-Purpose Tubing
Working Temperatures: Tubing Dependent
Application: Vacuum, Water, & Anti-Freeze Lines

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case			
	PRF-10C	N/A	PRF-10B	N/A	PLASTIC	1/8"
	N/A	N/A	PRF-11B	N/A	PLASTIC	1/4"
	PRF-12C	N/A	PRF-12B	N/A	PLASTIC	3/16"
	N/A	N/A	PRF-13B	N/A	PLASTIC	5/16"
	N/A	N/A	PRF-16B	N/A	PLASTIC	3/16"
	N/A	N/A	PRF-18B	N/A	PLASTIC	1/4"
	N/A	N/A	PRF-19B	N/A	PLASTIC	5/16"
	N/A	N/A	PRF-20B	N/A	PLASTIC	3/8"
	N/A	N/A	PRF-29B	N/A	PLASTIC	(2) 7/32" x 5/32"
	N/A	N/A	PRF-32B	N/A	PLASTIC	1/8"
	N/A	N/A	PRF-33B	N/A	PLASTIC	5/32"



PLASTIC CONNECTOR (Continued)

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case			
	N/A	N/A	PRF-34B	N/A	PLASTIC	3/16"
	N/A	N/A	PRF-35B	N/A	PLASTIC	1/4"
	N/A	N/A	PRF-36B	N/A	PLASTIC	5/16"
	N/A	N/A	PRF-37B	N/A	PLASTIC	3/8"
	N/A	N/A	PRF-38B	N/A	PLASTIC	5/32" x 3/8"
	N/A	N/A	PRF-39B	N/A	PLASTIC	3/16"
	N/A	N/A	PRF-40B	N/A	PLASTIC	5/32" x 1/4" x 3/8"

PLASTIC VACUUM CAPS

PLASTIC VACUUM CAPS – For low pressure applications. Caps and seals the ends of vacuum lines, hose nipples and fittings.


Recommended Uses: Multi-Purpose Tubing
Working Temp (Pressure): Tubing Dependent
Application: Vacuum, Water, & Coolant Lines

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Tube Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case			
	N/A	N/A	PRF-45B	N/A	PLASTIC	1/8"
	N/A	N/A	PRF-46B	N/A	PLASTIC	3/16"
	N/A	N/A	PRF-49B	N/A	PLASTIC	3/8"

TRANSMISSION ADAPTERS

TRANSMISSION ADAPTERS– For transmission and oil cooler lines. Made of steel.

Recommended Uses: Metal to Rubber Hose
Working Temp (Pressure): Tubing Dependent
Application: Transmission and Oil Cooler Lines

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Length	Thread Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	N/A	N/A	TR-900	N/A	STEEL	1-1/2"	7/16-24

CAP SCREW


CAP SCREW – Made of low-carbon steel and are common in construction or repair projects.

Recommended Uses: Metal to Metal
Working Temp (Pressure): -65°F to 250°F
Application: Metal to Metal Fastening

Fitting	1 Fitting/Card	10 Fittings/Bag	1 Fitting/Bag	100/Box	Material	Length	Thread Size
	10 Cards/Case	1 Bag/Case	10 Bags/Case				
	CSH-10C	N/A	CSH-10B	N/A	STEEL	1-1/2"	7/16-24

BRAKE SYSTEM CONNECTION DIAGRAM

The diagram is simplified to show how the connection from master cylinder to the wheel cylinder is made. Two options for adapting the different sized ports on the master cylinder (1/2-20) to a standard 3/16" domestic brake system (3/8-24) are shown. One uses a simple adapter fitting (BLF-20) while the other uses an 8" adapter line (BLA-R350) and a union (BLU-3). Both are good solutions and accomplish the same objective.



FITTING ASSORTMENTS

AGS Fitting Assortments are designed for the specialty and general repair shops. Each assortment contains a specific collection of fast moving fittings that should be kept on hand when working with automotive hydraulic braking systems. Assortments are packaged in shatter-resistant, see-through plastic trays. Locator labels on the inside lid make locating, selecting, and re-filling quick and easy.

BLFA-1 Tube Nut Assortment - 9 SKU

Includes nine specialized tube nuts used in 8" brake adapter lines for connecting different sized port openings on master cylinders to standard brake systems. Contains both SAE Inverted and ISO Bubble tube nuts as well as UNF Imperial and Metric threads.



BLFA-2 Metric Fitting Assortment- 9 SKU

Assortment of nine most popular metric fittings (tube nuts, unions, and adapters) for use when working with braking systems of Japanese and European vehicles.



FITTING ASSORTMENTS *(Continued)*

BLFA-3 Master Cylinder Adapter Assortment - 18 SKU

A complete master cylinder adapter assortment for converting different sized port opening on master cylinders to standard braking systems. Adapters are included for converting from non-standard UNF imperial threads to standard 3/16", 1/4", 5/16" and 3/8" brake, fuel, and transmission systems. Also convert domestic systems to import systems and vice-versa.



BLFA-4 Master Cylinder Adapter Assortment - 9 SKU

Nine of the most popular master cylinder adapters for Domestic vehicles. Adapt different sized port openings on master cylinders to standard 3/16" and 1/4" Domestic brake systems. Also includes adapters for converting between 5/16" and 3/8" port sizes.



BLFA-5 Large Fitting Assortment - 24 SKU

An assortment of 24 most popular Tube Nuts, Unions, and Adapters for most repair shops. Includes Tube Nuts for all Domestic applications, as well as 6mm and Japanese. Also includes Unions for 3/16" and 1/4" Domestic, Japanese and European vehicles. Popular adapters include European to Domestic and Japanese to Domestic. Also included are non-standard Tube Nuts for adapter line applications.



BLFA-6 Large Fitting Assortment - 18 SKU

An assortment of 18 Tube Nuts, Unions, and Adapters for any repair shop and especially those working on import vehicles. Includes Tube Nuts for all Import brake applications, as well as 3/16" Domestic. Also includes Unions for British and GM 6mm. Adapters include a 6mm to 3/16" domestic brake system.



BLFA-7 Union Assortment - 8 SKU

An assortment of 8 brass unions for joining all types of brake and fluid transfer lines: Domestic 3/16", 1/4", 5/16", 3/8", Japanese, European, British, and 6mm.



BLFA-8 Fitting Assortment - 24 SKU


An assortment that contains tube nuts, adapters, and unions for working with all types (domestic, import, 6mm) of 3/16" diameter brake line systems.



BLFA-8K – See Page 56

BLFA-9 Fitting Assortment - 8 SKU

An assortment that contains tube nuts, adapters, and unions for working with all types of domestic and import 1/4" diameter brake line systems.



BLFA-9K – See Page 56

BLFA-10 Fitting Assortment - 32 SKU

An assortment of the 32 most common tube nuts, adapters, and unions. Ideal for working with all types of domestics and import (British, European, and Japanese) 3/16" or 1/4" diameter brake line systems.




BLFA-10K – See Page 56

ASSORTMENT CONTENTS

Fitting Part No.	ASSORTMENTS									
	BLFA-1	BLFA-2	BLFA-3	BLFA-4	BLFA-5	BLFA-6	BLFA-7	BLFA-8	BLFA-9	BLFA-10
BLF-10						10		10		10
BLF-11	5				10			10		10
BLF-12					10			20		20
BLF-13					10				4	4
BLF-14					10					
BLF-15						10				
BLF-16					10				4	4
BLF-17			2							
BLF-18			2	2	5	5				
BLF-19			2	2		5			2	2
BLF-20			2	2		5		1		1
BLF-22			2	2				1		1
BLF-23			2	2					2	2
BLF-24			2	2						
BLF-25			2	2					2	2
BLF-27			2	2				1		
BLF-28			2	2				1		1
BLF-29		5	2		5			2		2
BLF-30			2		5			1		1
BLF-31		2	2		5	5		2		2
BLF-32			2			5		1		1
BLF-33			2			5		1		1
BLF-34			2			5		1		1
BLF-35			2							
BLF-36			2							
BLF-38						10		2		2
BLF-39	5	5				10		12		12
BLF-40		5			10	10		12		12
BLF-41	5				5			6		6
BLF-42	5				5			6		6
BLF-43	5				5				4	4
BLF-44	5				5				4	4
BLF-47	5	5			5			4		4
BLF-48	5	5			5			4		4
BLF-49	5	5			5			4		4
BLF-51						5				
BLF-52						5				
BLF-53						5				
BLU-3					5		5	4		4
BLU-4					5		2		4	4
BLU-5					5		2			
BLU-6						2	2			
BLU-7						2	2			
BLU-8		2			5		2	2		2
BLU-9		2			5		2	2		2
BLU-10						2	2			
FLR-008					2					
FLR-009					2					
Total	45	36	36	18	144	106	19	110	26	136

STAINLESS STEEL BLEEDER SCREWS

STAINLESS STEEL BLEEDER SCREWS – Prevent the nightmare of broken bleeder screws before the problem happens by replacing with AGS stainless steel bleeder screws. Correct OE threads, hex and seat configuration. Compatible with all cast iron, steel and aluminum calipers, wheel cylinders and clutch slave cylinders. Stainless steel brake bleeder screws will not rust or corrode.

Bleeder Screw	2 Fittings/Card	1 Fitting/Bag	Material	Hex	Thread Size	Length
	10 Cards/Case	10 Bags/Case				
	BBS-9400C-2	BBS-9400B	STAINLESS STEEL	3/8"	3/8-24	1.49"
	BBS-9402C-2	BBS-9402B	STAINLESS STEEL	3/8"	3/8-24	1.18"
	BBS-9404C-2	BBS-9404B	STAINLESS STEEL	1/4"	1/4-28	0.92"
	BBS-9405C-2	BBS-9405B	STAINLESS STEEL	8 mm	M8 x 1.25	25.1 mm
	BBS-9406C-2	BBS-9406B	STAINLESS STEEL	10 mm	M10 x 1.5	29.2 mm
	BBS-9407C-2	BBS-9407B	STAINLESS STEEL	10 mm	M10 x 1.0	29.2 mm
	BBS-9409C-2	BBS-9409B	STAINLESS STEEL	10 mm	M10 x 1.0	32.8 mm
	BBS-9410C-2	BBS-9410B	STAINLESS STEEL	10 mm	M10 x 1.0	35.1 mm
	BBS-9411C-2	BBS-9411B	STAINLESS STEEL	8 mm	M7 x 1.0	35.1 mm
	BBS-9412C-2	BBS-9412B	STAINLESS STEEL	10 mm	M10 x 1.0	35.8 mm
	BBS-9421C-2	BBS-9421B	STAINLESS STEEL	10 mm	M10 x 1.25	33.1 mm
	BBS-9422C-2	BBS-9422B	STAINLESS STEEL	8 mm	M8 x 1.25	30.2 mm
	BBS-9430C-2	BBS-9430B	STAINLESS STEEL	8 mm	M8 x 1.0	29.7 mm
	BBS-9482C-2	BBS-9482B	STAINLESS STEEL	10 mm	M10 x 1.5	38.5 mm
	BBS-9497C-2	BBS-9497B	STAINLESS STEEL	11 mm	M10 x 1.0	38.8 mm

Bleeder Screws

BBSA-1 STAINLESS STEEL BLEEDER SCREW ASSORTMENT – 15 SKU

The BBSA-1, stainless steel brake bleeder screw assortment, 1 includes all 15 sku's (84 pieces). Correct OE threads, hex and seat configuration. Packaged in a shatter-resistant, see-through plastic tray with lid labels that make locating, selecting, and re-stocking quick and easy.

ASSORTMENT CONTENT					
Part No.	QTY	Part No.	QTY	Part No.	QTY
BBS-9400	4	BBS-9407	6	BBS-9421	6
BBS-9402	6	BBS-9409	6	BBS-9422	6
BBS-9404	4	BBS-9410	6	BBS-9430	6
BBS-9405	4	BBS-9411	6	BBS-9482	6
BBS-9406	6	BBS-9412	6	BBS-9497	6



OIL DRAIN PLUG GASKETS

AGS ACCUFIT® Oil Drain Plugs is a high-coverage/low-part number program that covers up to **93% of all vehicles on the road, including domestic, European, Japanese, British, and Korean models, while reducing inventory and associated costs by 80%**. Reducing stocked part numbers to just 13 and the superior quality built-in features make ACCUFIT® your number one choice for oil drain plugs.

Easy Install
Finger-grip wing for ease of installation. All plugs have 14mm hex – just one wrench works for all!

***Hi-Temp Gasket**
Red hi-temp nitrile rubber gasket for max sealing protection

**Replace Gasket at Each Oil Change*



Easy ID
Thread size etched on each plug.

Rust Protection
Black oxide coating for rust and corrosion protection.

Avoid Cross-Threading
Pilot-point tip to avoid cross-threading during installation.



Scan to view an instructional video and to visit the mobile drain plug application selector.

Refer to the ACCUFIT® Application Guidebook (C-1000) or mobile selector application for a comprehensive listing of drain plug part numbers and the corresponding year/make/model table for quick and easy selection.

Oil Drain Plug	Part No.	Replacement Gasket*	Size	Application
	ODP-00007 (B or C*)	ODP-10007	M14x1.5	1986-2017 ACURA, 1985-92, 95-2017 AUDI, 1985-86, 2013-17 BUICK, 1997-2001, 03-04, 2014-16 CADILLAC, 1985-88, 1999-2017 CHEVY, 1987-2017 CHRYSLER, 1985-2017 DODGE, 1989-98 EAGLE, 2012-17 FIAT, 1985-2017 FORD, 2017 GENESIS, 1989-97 GEO, 2001-10, 2014-16 GMC, 1985-2017 HONDA, 1987-2012, 2014-17 HYUNDAI, 1985-2004, 2016 ISUZU, 1997-98, 2000-17 JAGUAR, 1999-2017 JEEP, 1994-2017 KIA, 2003-09, 2016-17 LAND ROVER, 1988-2014 LINCOLN, 1985-2014 MAZDA, 1985-2001, 11-17 MERCEDES-BENZ, 1985-2011 MERCURY, 1985-89 MERKUR, 1985-2017 MITSUBISHI, 2016-17 NISSAN, 1985-88 OLDS, 1985-2001 PLYMOUTH, 1986-94, 2009 PONTIAC, 2011-17 RAM, 1985-2009 SAAB, 2000-05, 2008 SATURN, 1989-2008 SUZUKI, 1985-2017 VOLKSWAGEN
	ODP-00008 (B or C*)	ODP-10007	M14x1.25	1988-89 EAGLE, 1990-2003 FORD, 1985-86 JEEP
	ODP-00009 (B or C*)	ODP-10009	M12x1.75	1985-2007, 2011-17 BUICK, 1985-2007, 2011-17 CADILLAC, 1985-2007, 2011-18 CHEVY, 1995-2017 FORD, 1985-2007, 2011-18 GMC, 2003-07 HUMMER, 1996-2000, 2003-08, 2016 ISUZU, 2016-17 JAGUAR, 2000-17 LINCOLN, 1998-99, 2001-08, 11-13 MAZDA, 1995-2002, 04, 08, 11 MERCURY, 1985-2004 OLDS, 1985-2007 PONTIAC, 1991-2002, 05-09 SATURN, 2001-12 WORKHORSE
	ODP-00010 (B or C*)	ODP-10009	M12x1.5	1985-2017 BMW, 1985-98, 2011-17 MERCEDES-BENZ, 2016-17 MINI, 2015 NISSAN
	ODP-00011 (B or C*)	ODP-10009	M12x1.25	1985-88, 1998-2002, 16-17 CHEVY, 1989-97 GEO, 2009-17 INFINITI, 1992-2003, 2009-17 LEXUS, 2009-17 NISSAN, 2010 PONTIAC, 2010-13, 2016 SCION, 1989-2003, 2010-13, 2016-17 TOYOTA
	ODP-00012 (B or C*)	ODP-10012	M16x1.5	1990-92 DODGE, 1988-92 EAGLE, 1985-96 JAGUAR, 1985-91 PEUGEOT, 1985-87 RENAULT
	ODP-00013 (B or C*)	ODP-10013	M18x1.5	2003-17 BMW, 1990-93, 2002-06 DODGE, 1985-86 PLYMOUTH, 2013, 2016-17 RAM, 1985-92 TOYOTA, 1994-2009, 2011-17 VOLVO
	ODP-00014 (B or C*)	ODP-10014	M22x1.5	1994-95 BMW, 1988-2000 Chevy, 1994-2001 Dodge, 1985-86, 1988-99 GMC, 1985-95 Jeep
	ODP-00015 (B or C*)	ODP-10015	M26x1.5	1990-95 AUDI, 1985-89 MERCEDES-BENZ, 1993, 95 VOLKSWAGEN, 1985-87 VOLVO
	ODP-00016 (B or C*)	ODP-10009	1/2-20	1992-2000 AMG, 1985-88 AMC, 1985-96 BUICK, 1985-86, 1992-96 CADILLAC, 1985-96 CHEVY, 1985-99 CHRYSLER, 1985-2006 DODGE, 1993-97 EAGLE, 1985-96 FORD, 1985-96 GMC, 1985-2006 JEEP, 1985-90 LINCOLN, 1985-89 MERCURY, 1998-99 MITSUBISHI, 1985-94 OLDS, 1985-99 PLYMOUTH, 1985-95 PONTIAC
	ODP-00017 (B or C*)	ODP-10012	5/8-18	1950-65 CADILLAC, 1959-61 CHRYSLER, 1959-63 DODGE, 1959-63 PLYMOUTH
	ODP-00018 (B or C*)	ODP-10013	3/4-16	1985-86 DODGE, 1985-95 VOLVO
	ODP-00019 (B or C*)	ODP-10019	M20x1.5	1985-86 DODGE, 1987 ISUZU, 1985-86 PLYMOUTH, 1985-2017 SUBARU

*Packaging Option B
1 Drain Plug/Bag
5 Bags/Case**

*Packaging Option C
1 Drain Plug/Card
5 Cards/Case

*Replacement Gaskets
10 Gaskets/Bag
1 Bag/Case

**ODP-00015B Case Qty is 3

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OIL DRAIN PLUG GASKETS

Gasket	Part No.	Size	Material	Pkg Qty
	ODP-65268 (B or C*)	M14	Copper	3/Carded Clamshells 5/Bags
	ODP-65269 (B or C)	9/16"/ M14	Metal/ Rubber	1/Carded Clamshells 5/Bags
	ODP-65270 (B or C)	1/2"/ M12	Nylon	5/Carded Clamshells 5/Bags
	ODP-65271 (B or C)	1/2"/ M12	Copper	2/Carded Clamshells 5/Bags
	ODP-65272 (B or C)	9/16"/ M14	Nylon	5/Carded Clamshells 5/Bags
	ODP-65273 (B or C)	5/8"	Copper	2/Carded Clamshells 5/Bags
	ODP-65274 (B or C)	1/2"/ M12	Metal/ Rubber	2/Carded Clamshells 5/Bags
	ODP-65290 (B or C)	M12	Aluminum	2/Carded Clamshells 5/Bags

Gasket	Part No.	Size	Material	Pkg Qty
	ODP-65292 (B or C)	M14	Aluminum	4/Carded Clamshells 5/Bags
	ODP-65301 (B or C)	M12	Synthetic	2/Carded Clamshells 5/Bags
	ODP-65310 (B or C)	1/2"/ M14	Oversize/ Crush	3/Carded Clamshells 5/Bags
	ODP-65311 (B or C)	M20	Crush	2/Carded Clamshells 5/Bags
	ODP-65327 (B or C)	7/16"/ M12	Rubber	2/Carded Clamshells 5/Bags
	ODP-65330 (B or C)	1/2"/ M12	Nylon	5/Carded Clamshells 5/Bags
	ODP-66451 (B or C)	M12	Rubber	2/Carded Clamshells 5/Bags

**Packaging Option B*
Qty as Noted/Bag
10 Bags/Case

**Packaging Option C*
Qty as Noted/Card
5 Cards/Case

REPAIR PLUGS

Repair oil drain plugs offer a fast and inexpensive solution to stripped oil drain pan threads (oil pan replacement can cost up to \$1,000 or more). Using a universal or oversize design allows a temporary or permanent repair if the threads in the pan are too ruined for a standard OE size plug.


Repair Plug	Part No.	Size	Repair Plug	Part No.	Size
	ODP-65200 (B or C)	1/2" Universal		ODP-65213 (B or C)	M12x1.75 Oversize
	ODP-65201 (B or C)	5/8" Universal		ODP-65217 (B or C)	M14x1.5 Oversize
	ODP-65204 (B or C)	1/2" Oversize		ODP-65240 (B or C)	Winged Universal

**Packaging Option B*
1 Drain Plug/Bag
5 Bags/Case**

**Packaging Option C*
1 Drain Plug/Card
5 Cards/Case**

***ODP-65200B, 65201B,
65240B, and 65240C
Case Qty is 3*

ODPA-1 OIL DRAIN PLUG ASSORTMENT - 24 SKU



The ODPA-1, Oil Drain Plug Assortment, includes all 13 ACCUFIT® oil drain plugs (34 plugs) that covers up to 93% of all vehicles on the road. **This assortment reduces inventory costs by up to 80%!** Also included is an assortment of the 11 most popular OE-style gaskets (55 gaskets) available in copper, rubber, nylon, aluminum, metal, and synthetic material. Pair the ODPA-1 with the ACCUFIT® Oil Drain Plug Application Guidebook (C-1000) or use the mobile application for quick and easy selection.

"The kit has worked for every car I needed to replace a plug in." ~ ACCUFIT® Customer

ODPA-2 OIL DRAIN REPAIR PLUG & REPLACEMENT GASKET ASSORTMENT

The ODPA-2, Oil Drain Repair Plug and Replacement Gasket Assortment, includes 6 ACCUFIT® oil drain repair plugs (21 plugs) and 7 hi-temp replacement gaskets (70 gaskets). The red hi-temp nitrile rubber gasket will ensure maximum sealing protection. Oil drain repair plugs offer a fast and inexpensive solution to stripped oil drain pan threads (oil pan replacement can cost up to \$1,000 or more). Using a universal or oversize design allows a temporary or permanent repair if the threads in the pan are too ruined for a standard OE plug. Replace gasket at each oil change.



ODP-65200 1/2" (10mm) DT-1	ODP-65200 1/2" (10mm) DT-1	ODP-65200 1/2" (10mm) DT-1	ODP-65201 1/2" (10mm) DT-1	ODP-65201 1/2" (10mm) DT-1	ODP-65201 1/2" (10mm) DT-1
ODP-65204 1/2" (10mm) DT-2	ODP-65204 1/2" (10mm) DT-2	ODP-65213 3/8" (9.5mm) DT-2	ODP-65213 3/8" (9.5mm) DT-2	ODP-65217 3/4" (19mm) DT-2	ODP-65217 3/4" (19mm) DT-2
ODP-65240 3/4" (19mm) DT-3	ODP-65240 3/4" (19mm) DT-3	ODP-65240 3/4" (19mm) DT-3	ODP-10007 1/2" (10mm) DT-4	ODP-10009 3/4" (19mm) DT-4	ODP-10012 1/2" (10mm) DT-4
ODP-10013 1/2" (10mm) DT-5	ODP-10014 1/2" (10mm) DT-5	ODP-10015 1/2" (10mm) DT-5	ODP-10019 1/2" (10mm) DT-5		

OIL DRAIN REPAIR PLUG & REPLACEMENT GASKET ASSORTMENT ODPA-2

ODPA-3 OIL DRAIN PLUG WALL RACK

The ODPA-3, Oil Drain Plug Wall Rack, includes all 13 ACCUFIT® oil drain plugs (64 plugs) in a handy wall rack. Save time and simplify the selection! Have the drain plugs readily accessible near the point of install in a sturdy wall rack. Check threads with the built-in gauges mounted right next to the bins and grab the correct replacement part in clearly labeled bins. Replenishment made easy with incorporated UPC's for individual plugs. Mounting hardware included. Replace gasket at each oil change.



Scan to View our
Oil Drain Plug Video!

THE KLEDGE-LOK® TOOL


GOT A LINE REPAIR?

KLEDGE-LOK® IT!

A/C • FUEL • TRANSMISSION • COOLANT • POWER STEERING

The KLEDGE-LOK® tool is designed to complete most line repairs right on the vehicle by reaching into, behind, and underneath the difficult places that lines are found. Use with the supplied T-bar, a basic open-end wrench, a square-drive ratchet, or an air or battery powered impact wrench. The KLEDGE-LOK® system has been successfully tested to 2000 psi for high-pressure applications such as transmission cooler lines, steel fuel lines, and oil cooler lines. Repairs can also be made in heavy-duty truck applications.

The KLEDGE-LOK® system starts with the innovative SLK tool body. The unique and patented design offers the flexibility of interchangeable repair jaws while maintaining a small and sleek profile to fit into the tight spots on vehicles where repairs most often need to be performed.



The KLEDGE-LOK® Advantage

- One tool — One system
- Use with any vehicle
- Covers wide range of systems
- Fast and easy to use
- Do repairs right on the vehicle
- Never wait for expensive parts again
- No welding or soldering
- Clean and residue-free repairs
- Proven and tested technology
- Eco-friendly

Metal Line Repair

	Part No.	Description
	SLK-2	KLEDGE-LOK® Tubing Repair Tool with Jaws
	SLK-2A	KLEDGE-LOK® Tubing Repair Jaws - No Tool

Nylon Line Repair

	Part No.	Description
	SLKFR	KLEDGE-LOK® Nylon Fuel Line Repair Tool with Jaws
	SLKFRA	KLEDGE-LOK® Nylon Fuel Line Repair Jaws - No Tool

Fittings compatible with:

Tube-to-Tube Repairs



Aluminum • Steel • Copper • NiCopp® • Poly-Armour®

Tube-to-Hose Repairs



A/C • Heater • Transmission

Line Repair Systems

KLEDGE-LOK® LINE REPAIR

KLEDGE-LOK®

FIX PINHOLE LEAKS, CRACKS, KINKS, AND RUB THROUGHS

Tube-to-Tube Repair



Hose-to-Tube Repair



Line Block-Off Repair



KLEDGE-LOK® gives shops the power to make instant repairs right on the vehicle — getting cars in and out faster — saving bay time and making more money.

KLEDGE-LOK® allows shops to get their customers back on the road faster for less money than OE replacement or other repair methods.

2005 Chevy Trailblazer -Leaking Front/Rear A/C Lines			
Replace with New Lines		Repair with KLEDGE-LOK®	
Diagnoses	.5 Hours	Diagnoses	.5 Hours
Ordering New Lines	1 Day	Repair	.5 Hours
Installing New Lines	2 Hours		
TOTAL	2.5 Hours + 1 Day	TOTAL	1 Hour

2000 Dodge Caravan - Leaking Filter/Dryer Lines			
Replace with New Lines		Repair with KLEDGE-LOK®	
Diagnoses	.5 Hours	Diagnoses	.5 Hours
Ordering New Lines	2 Days	Reparación	1 Hours
Installing New Lines	2.5 Hours		
TOTAL	3 Hours + 2 Days	TOTAL	1.5 Hours

New	\$357.45		
	\$617.69		
	\$0.00		
less discount : \$11.31	\$19.37		
	\$0.00		
	\$39.22		
	\$1,032.73		
REPAIR REAR A/C LINES - 2 SPOTS			\$116.25
EVACUATE, LEAK TEST AND RECHARGE A/C SYSTEM			\$47.45
Description	Condition	Unit Price	Price
5/8 SWEDGELOK CONNECTOR	New	\$56.00	\$110.00
A/C DYE	New	\$4.84	\$4.84
R134A REFRIGERANT	New	\$15.00	\$60.00
Labor			\$163.70
Parts			\$174.84
Sublet/Misc.			\$0.00
Shop Supplies			\$14.55
Charges			\$0.00
Sales Tax	Tax @ \$189.39 * 6.0000%		\$11.36
	Estimate		\$364.45

**\$688
SAVINGS!**

KLEDGE-LOK®

KLEDGE-LOK® gives the professional installer a versatile system that will quickly become indispensable in their shop.



"The KLEDGE-LOK® tool has saved our customers hundreds of dollars in air conditioning repairs. Rear air conditioning lines on GM vehicles are very costly; being able to offer your customer options, replace, repair, or block off makes us the hero to the customer eyes. Not all shops have this technology, and we see vehicles coming from other shops because we offer options. Used car dealers love us for being able to repair rather than replace those costly lines."

— **Kurt Boerman**
Muskegon Brake & Tire

"KLEDGE-LOK® allows me to make quick and easy repairs to lines. No more waiting for costly OE or aftermarket lines. Saves time and money, which customers love! Win-win for all!"

— **Mark Paseka**
Mark's
Transmission
& Auto



ACRK-KLEDGE

The KLEDGE-LOK® A/C repair system allows the professional mechanic to repair pinhole leaks and cracks in aluminum lines right on the vehicle instead of more expensive and time consuming replacement. Damaged A/C hose can also be repaired quickly and easily with both hose-to-hose and hose-to-tube splice options. A line termination option is also available for blocking rear A/C systems in vans and SUV's. The ACRK-KLEDGE is the complete master A/C repair kit that contains everything needed for most A/C repairs on most vehicles. All tools, kits, and components can be purchased separately.

REPAIR A/C LINES AND MORE...

- ➔ ACRK-KLEDGE contains everything needed to repair aluminum A/C lines and rubber A/C hose
- ➔ KLEDGE-LOK® tool and repair fittings can also be used in any system up to 2,000 psi - fuel, transmission, coolant, and power steering
- ➔ KLEDGE-LOK® repair fittings are compatible with aluminum, steel, and copper tubing



2013 MACS
Most Innovative
New Product



5/16"
(8mm)

3/8"
(10mm)

1/2"
(12mm)

5/8"
(16mm)

3/4"
(19mm)

ACRK-KLEDGE




Part No.	Description	Kit Qty
SLK-2	KLEDGE-LOK® Repair Tool with Jaws	1
ACR-050	10' Coil Reduced Barrier A/C Repair #6 Hose (5/16" / 8mm)	1
ACR-051	10' Coil Reduced Barrier A/C Repair #8 Hose (13/32" / 10mm)	1
ACR-052	10' Coil Reduced Barrier A/C Repair #10 Hose (1/2" / 13mm)	1
ACR-053	10' Coil Reduced Barrier A/C Repair #12 Hose (5/8" / 16mm)	1
ACR-054	Hose Cutting Tool	1
ACRK-1	SPLICE-LOK® / KLEDGE-LOK® A/C Repair Tubing Assortment	1
ACRK-2	SPLICE-LOK® / KLEDGE-LOK® A/C Repair Ends O-Ring Assortment	1
ACRK-4	KLEDGE-LOK® A/C Repair Assortment	1
ACRK-500	SPLICE-LOK® / KLEDGE-LOK® Storage Cabinet	1
TR-360	360° Hose Clamp Pliers	1



Before



After



Line Repair Systems - A/C

REDUCED BARRIER A/C HOSE

Hose Hose Cutter	Part No.	Description	Bags/Kit	Bags/Case
	ACR-050	10' Coil Reduced Barrier A/C Repair #6 Hose (5/16" / 8mm)	1	1
	ACR-050-50	50' Coil Reduced Barrier A/C Repair #6 Hose (5/16" / 8mm)	1	1
	ACR-051	10' Coil Reduced Barrier A/C Repair #8 Hose (13/32" / 10mm)	1	1
	ACR-051-50	50' Coil Reduced Barrier A/C Repair #8 Hose (13/32" / 10mm)	1	1
	ACR-052	10' Coil Reduced Barrier A/C Repair #10 Hose (1/2" / 13mm)	1	1
	ACR-052-50	50' Coil Reduced Barrier A/C Repair #10 Hose (1/2" / 13mm)	1	1
	ACR-053	10' Coil Reduced Barrier A/C Repair #12 Hose (5/8" / 16mm)	1	1
	ACR-053-50	50' Coil Reduced Barrier A/C Repair #12 Hose (5/8" / 16mm)	1	1
	ACR-054	Hose Cutting Tool	1	10

A/C HOSE SPLICE

Hose Splicer	Part No.	Description	Bags/Kit	Bags/Case
	ACR-155	#6 Hose Splicer (5/16" / 8mm)	1	5
	ACR-156	#8 Hose Splicer (13/32" / 10mm)	1	5
	ACR-157	#10 Hose Splicer (1/2" / 13mm)	1	5
	ACR-158	#12 Hose Splicer (5/8" / 16mm)	1	5

ACRK-1

ACRK-1 contains 12" lengths of replacement aluminum A/C repair tubing in 5/16", 3/8", 1/2", 5/8", and 3/4" diameters to be used with the SPLICE-LOK® and KLEDGE-LOK® A/C repair systems. A ratcheting metal tube cutting tool is also included.

ACRK-1 Tubing Tube Cutter	Part No.	Description	Bags/Kit	Bags/Case
	ACRK-1	SPLICE-LOK® / KLEDGE-LOK® A/C Repair Tubing Assortment	1	1
	ACR-011	5/16" x 12" Aluminum A/C Repair Tubing - 8 tubes/box	1	1
	ACR-012	3/8" x 12" Aluminum A/C Repair Tubing - 6 tubes/box	1	1
	ACR-013	1/2" x 12" Aluminum A/C Repair Tubing - 4 tubes/ box	1	1
	ACR-014	5/8" x 12" Aluminum A/C Repair Tubing - 4 tubes/box	1	1
	ACR-015	3/4" x 12" Aluminum A/C Repair Tubing - 4 tubes/box	1	1
	ACR-032	Ratcheting Metal Tube Cutting Tool	1	1

ACRK-2

ACRK-2 contains an assortment of A/C condenser aluminum O-ring repair ends in 3/8", 1/2", 5/8", and 3/4" diameters to be used with the SPLICE-LOK® and KLEDGE-LOK® A/C repair systems. Ends include external male, internal male, and external female.

	Part No.	Description*	Bags/Kit	Bags/Case
ACRK-2	ACRK-2	SPLICE-LOK® / KLEDGE-LOK® A/C Repair Ends O-Ring Assortment	N/A	1
	ACR-033	A/C Condenser Repair End - 3/8" External Male O-Ring	2	5
	ACR-034	A/C Condenser Repair End - 1/2" External Male O-Ring	2	5
	ACR-035	A/C Condenser Repair End - 5/8" External Male O-Ring	2	5
External Male	ACR-036	A/C Condenser Repair End - 3/4" External Male O-Ring	2	5
	ACR-037	A/C Condenser Repair End - 3/8" Internal Male O-Ring	2	5
	ACR-038	A/C Condenser Repair End - 1/2" Internal Male O-Ring	2	5
	ACR-039	A/C Condenser Repair End - 5/8" Internal Male O-Ring	2	5
Internal Male	ACR-040	A/C Condenser Repair End - 3/4" Internal Male O-Ring	2	5
	ACR-041	A/C Condenser Repair End - 3/8" External Female O-Ring	2	5
	ACR-042	A/C Condenser Repair End - 1/2" External Female O-Ring	2	5
	ACR-043	A/C Condenser Repair End - 5/8" External Female O-Ring	2	5
External Female	ACR-044	A/C Condenser Repair End - 3/4" External Female O-Ring	2	5

*1 per bag unless noted

ACRK-4

ACRK-4 contains an assortment of KLEDGE-LOK® fittings for permanent leak repair of 5/16", 3/8", 1/2", 5/8", and 3/4" diameters of cracked, kinked, or leaking lines without removing the lines from the vehicle! Designed to be used in conjunction with the professional KLEDGE-LOK® tool (SLK-2). Repairs can be made on SAE and metric tube-to-tube, tube-to-rubber hose, or tube block-offs.

	Part No.	Description*	Bags/Kit	Bags/Case
ACRK-4	ACRK-4	KLEDGE-LOK® A/C Repair Assortment	N/A	1
	ACR-001	5/16" Aluminum Tube to #6 A/C Hose KLEDGE-LOK® Repair Union	2	5
	ACR-002	3/8" Aluminum Tube to #6 A/C Hose KLEDGE-LOK® Repair Union	2	5
	ACR-003	1/2" Aluminum Tube to #8 A/C Hose KLEDGE-LOK® Repair Union	2	5
Tube-to-Tube	ACR-004	5/8" Aluminum Tube to #10 A/C Hose KLEDGE-LOK® Repair Union	2	5
	ACR-010	3/4" Aluminum Tube to #12 A/C Hose KLEDGE-LOK® Repair Union	2	5
Tube-to-Hose	ACR-005	5/16" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	2	5
	ACR-006	3/8" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	2	5
	ACR-007	1/2" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	2	5
	ACR-008	5/8" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	2	5
Block-Off	ACR-009	3/4" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	2	5
	ACR-062	5/16" Aluminum Tube KLEDGE-LOK® Block-Off A/C Repair	2	5
	ACR-063	3/8" Aluminum Tube KLEDGE-LOK® Block-Off A/C Repair	2	5
	ACR-064	1/2" Aluminum Tube KLEDGE-LOK® Block-Off A/C Repair	2	5
Clamp Cage	ACR-065	5/8" Aluminum Tube KLEDGE-LOK® Block-Off A/C Repair	2	5
	ACR-066	3/4" Aluminum Tube KLEDGE-LOK® Block-Off A/C Repair	2	5

*1 per bag unless noted

Line Repair Systems - A/C

ACRK-4 (Continued)

		Part No.	Description*	Bags/Kit	Bags/Case
Cinch Clamp		AC-6-05	5/16" Clamp Locator Cage for #6 A/C Hose	2	10
		AC-7-05	3/8" Clamp Locator Cage for #8 A/C Hose	2	10
		AC-8-05	1/2" Clamp Locator Cage for #10 A/C Hose	2	10
		AC-9-05	5/8" Clamp Locator Cage for #12 A/C Hose	2	10
Abrasive Pad & Sealant		AC-6-06	5/16" Clamps for #6 A/C Hose - 2/bag	2	10
		AC-7-06	3/8" Clamps for #8 A/C Hose - 2/bag	2	10
		AC-8-06	1/2" Clamps for #10 A/C Hose - 2/bag	2	10
		AC-9-06	5/8" Clamps for #12 A/C Hose - 2/bag	2	10
		ACR-028	3" x 1.5" Abrasive Pad	1	1
		ACR-029	KLEDGE-LOK® Anaerobic Tube Sealant Compound - 0.20 fl. oz.	1	1

*1 per bag unless noted

ACRK-1000

The KLEDGE-LOK® professional A/C tubing repair kit (Starter/Demo) comes with a demo kit (ACRK-DEMO) and three starter kits (ACRK-STARTER). The ACRK-1000 allows the mobile tool professional the ability to demo the KLEDGE-LOK® system and offer an economical solution to AC tubing repair.

ACRK-1000		Part No.	Description	Kit Qty
		ACRK-DEMO*	KLEDGE-LOK® Repair Tool with 1/2" Jaws ONLY	1
		ACRK-STARTER	KLEDGE-LOK® Repair Tool with Jaws	3

*See pages 44 for full description of kit contents

ACRK-STARTER

The ACRK-STARTER kit is the perfect way to set up a shop with the ability to repair aluminum A/C lines quickly and profitably. It's also a great alternative for a shop to have a system on hand to splice new OE lines that come in two sections. The kit consists of a full SLK-2 with both tool and full set of jaws, as well as a scaled down assortment of seven total tube-to-tube repair unions. Once the amazing utility of this system is realized, the kit can be easily replenished with tube-to-hose and block-off repair fittings.

ACRK-STARTER		Part No.	Description	Kit Qty
		SLK-2	Fluid Repair, KLEDGE-LOK®, Tool/Jaws	1
		ACR-005	5/16" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	1
		ACR-006	3/8" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	2
		ACR-007	1/2" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	2
		ACR-008	5/8" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	1
		ACR-009	3/4" Aluminum Tube-to-Tube KLEDGE-LOK® Repair Union	1
		ACR-028	3" x 1.5" Abrasive Pad	1
		ACR-029	KLEDGE-LOK® Anaerobic Tube Sealant Compound - 0.20 fl. oz.	1

Instructions Included!

ACRK-DEMO

The KLEDGE-LOK® professional A/C tubing repair demo kit consists of the KLEDGE-LOK® tool with 1/2" jaws and enough 1/2" fittings (5) and 1/2" tubes (4) to perform 9 separate demonstrations.

ACRK-DEMO	 Instructions Included!	Part No.	Description	Kit Qty
		SLK-2DEMO	KLEDGE-LOK® Repair Tool with 1/2" Jaws ONLY	1
		ACR-007	1/2" Aluminum Tube-to-Tube KLEDGE-LOK® A/C Repair Union	5
		ACR-013	1/2" x 12" Aluminum A/C Repair Tubing - 4/box	1

ACRK-DELUXE

ACRK-DELUXE		Part No.	Description	Kit Qty
		SLK-2	Fluid Repair, KLEDGE-LOK®, Tool/Jaws	1
		ACRK-1	SPLICE-LOK® / KLEDGE-LOK® A/C Repair Tubing Assortment	1
		ACRK-2	SPLICE-LOK® / KLEDGE-LOK® A/C Repair Ends O-Ring Assortment	1
		ACRK-3	SPLICE-LOK® A/C Repair Assortment	1
		ACRK-4	KLEDGE-LOK® A/C Repair Assortment	1
		ACR-050	10' Coil Reduced Barrier A/C Repair #6 Hose (5/16" / 8mm)	1
		ACR-051	10' Coil Reduced Barrier A/C Repair #8 Hose (13/32" / 10mm)	1
		ACR-052	10' Coil Reduced Barrier A/C Repair #10 Hose (1/2" / 13mm)	1
		ACR-053	10' Coil Reduced Barrier A/C Repair #12 Hose (5/8" / 16mm)	1
		ACR-054	Hose Cutting Tool	1
		ACRK-500	SPLICE-LOK® / KLEDGE-LOK® Storage Cabinet	1
		TR-360	360° Hose Clamp Pliers	1

ACRK-500

ACRK-500		Part No.	Description	Case Qty
		ACRK-500	SPLICE-LOK® / KLEDGE-LOK® Storage Cabinet	1

SPLICE-LOK® A/C LINE REPAIR



FAST, ECONOMICAL A/C TUBE AND HOSE REPAIR SYSTEM

Tube-to-Tube Repair



Hose-to-Tube Repair



Line Block-Off Repair



SPLICE-LOK® is a fast and economical way to make repairs in A/C lines to fix pinhole leaks, cracks, kinks, and rub throughs. SPLICE-LOK® provides a permanent repair that uses only standard hand tools. Full assortment kits are available, as well as retail, single repair kits. SPLICE-LOK® can make repairs in steel, aluminum, and copper lines, as well as reduced-barrier A/C hose. DO NOT USE in brake or clutch systems.

	Part No.	Description*	Bags/Kit	Bags/Case
ACRK-3	ACRK-3	SPLICE-LOK® A/C Repair Assortment	N/A	1
	ACRK-045C	SPLICE-LOK® A/C Repair Kit, 5/8" & 3/4" Tube	N/A	5
	ACRK-046C	SPLICE-LOK® A/C Repair Kit, 5/16", 3/8", & 1/2" Tube	N/A	5
A/C Repair Kit	ACR-045	SPLICE-LOK® A/C Repair Union Body for 5/8" & 3/4" Tube	2	10
	ACR-046	SPLICE-LOK® A/C Repair Union Body for 5/16", 3/8", & 1/2" Tube	2	10
	ACR-055	SPLICE-LOK® A/C Repair Union Body for 5/16", 3/8", & 1/2" Tube to #6 A/C Hose	2	10
Union Body	ACR-056	SPLICE-LOK® A/C Repair Union Body for 5/16", 3/8", & 1/2" Tube to #8 A/C Hose	2	10
	ACR-057	SPLICE-LOK® A/C Repair Union Body for 5/16", 3/8", & 1/2" Tube to #10 A/C Hose	2	10
	ACR-058	SPLICE-LOK® A/C Repair Union Body for 5/8" & 3/4" Tube to #12 A/C Hose	2	10
Viton® Seal	AC-1-03	SPLICE-LOK® Viton® Seal for A/C Repair, 5/16" - 2/bag	2	10
	AC-2-03	SPLICE-LOK® Viton® Seal for A/C Repair, 3/8" - 2/bag	2	10
	AC-3-03	SPLICE-LOK® Viton® Seal for A/C Repair, 1/2" - 2/bag	2	10
Brass Ferrule	AC-4-03	SPLICE-LOK® Viton® Seal for A/C Repair, 5/8" - 2/bag	2	10
	AC-5-03	SPLICE-LOK® Viton® Seal for A/C Repair, 3/4" - 2/bag	2	10
	AC-1-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 5/16" - 2/bag	2	10
Tube-to-Hose	AC-2-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 3/8" - 2/bag	2	10
	AC-3-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 1/2" - 2/bag	2	10
	AC-4-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 5/8" - 2/bag	2	10
Clamp Cage	AC-5-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 3/4" - 2/bag	2	10
	AC-6-05	5/16" Clamp Locator Cage for #6 A/C Hose	2	10
	AC-7-05	3/8" Clamp Locator Cage for #8 A/C Hose	2	10
Cinch Clamp	AC-8-05	1/2" Clamp Locator Cage for #10 A/C Hose	2	10
	AC-9-05	5/8" Clamp Locator Cage for #12 A/C Hose	2	10
	AC-6-06	5/16" Clamps for #6 A/C Hose - 2/bag	2	10
Block-Off	AC-7-06	3/8" Clamps for #8 A/C Hose - 2/bag	2	10
	AC-8-06	1/2" Clamps for #10 A/C Hose - 2/bag	2	10
	AC-9-06	5/8" Clamps for #12 A/C Hose - 2/bag	2	10
ACRK-SPLICE	ACR-060K	SPLICE-LOK® Block-Off Body/Nut for 5/16", 3/8", & 1/2" Tube	2	1
	ACR-061K	SPLICE-LOK® Block-Off Body/Nut for 5/8" & 3/4" Tube	2	1
	ACRK-SPLICE	SPLICE-LOK® Master Kit with Free Storage Cabinet (Includes: ACRK-1, ACRK-2, ACRK-3, ACR-50, ACR-51, ACR-52, ACR-53, ACR-054, ACRK-500, TR-360)	N/A	1

*1 per bag unless noted

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ACRK-5 — SPLICE-LOK® BLOCK-OFF KIT

The SPLICE-LOK® Line Block-Off Repair Kit is a complete A/C line termination assortment. The kit comes with block-off bodies, seals, and ferrules in all A/C lines sizes from 5/16" to 3/4". Use block-offs to terminate A/C lines that are no longer used, such as the rear A/C lines in larger SUV's and vans.

	Part No.	Description*	Bags/Kit	Bags/Case
ACRK-5	ACRK-5	SPLICE-LOK® A/C Block-Off Assortment	N/A	1
	ACR-060K	SPLICE-LOK® Block-Off Body/Nut for 5/16", 3/8", & 1/2" Tube	6	1
	ACR-061K	SPLICE-LOK® Block-Off Body/Nut for 5/8" & 3/4" Tube	4	1
Block-Off	AC-1-03	SPLICE-LOK® Viton Seal for A/C Repair, 5/16" - 2/bag	1	10
	AC-2-03	SPLICE-LOK® Viton Seal for A/C Repair, 3/8" - 2/bag	1	10
	AC-3-03	SPLICE-LOK® Viton Seal for A/C Repair, 1/2" - 2/bag	1	10
Viton® Seal	AC-4-03	SPLICE-LOK® Viton Seal for A/C Repair, 5/8" - 2/bag	1	10
	AC-5-03	SPLICE-LOK® Viton Seal for A/C Repair, 3/4" - 2/bag	1	10
	AC-1-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 5/16" - 2/bag	1	10
Brass Ferrule	AC-2-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 3/8" - 2/bag	1	10
	AC-3-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 1/2" - 2/bag	1	10
	AC-4-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 5/8" - 2/bag	1	10
	AC-5-04	SPLICE-LOK® Brass Ferrule for A/C Repair, 3/4" - 2/bag	1	10

*1 per bag unless noted

ACRK-6 — KLEDGE-LOK®/SPLICE-LOK® A/C HOSE SPLICE KIT

A/C hose splice connection kit. Splice together all sizes of reduced-barrier A/C hose. Contents include aluminum splice, cage, and clamps. Creates leak-free hose to hose connections for both KLEDGE-LOK® and SPLICE-LOK® repair systems.

	Part No.	Description*	Bags/Kit	Bags/Case
ACRK-6	ACRK-6	A/C Hose Splice Assortment	N/A	1
	AC-6-05	5/16" Clamp Locator Cage for #6 A/C Hose	2	10
	AC-7-05	13/32" Clamp Locator Cage for #8 A/C Hose	2	10
Clamp Cage	AC-8-05	1/2" Clamp Locator Cage for #10 A/C Hose	4	10
	AC-9-05	5/8" Clamp Locator Cage for #12 A/C Hose	4	10
	AC-6-06	5/16" Clamps for #6 A/C Hose - 2/bag	2	10
Cinch Clamp	AC-7-06	13/32" Clamps for #8 A/C Hose - 2/bag	2	10
	AC-8-06	1/2" Clamps for #10 A/C Hose - 2/bag	4	10
	AC-9-06	5/8" Clamps for #12 A/C Hose - 2/bag	4	10
Hose Splice	ACR-155	5/16" Aluminum Hose Splice	1	5
	ACR-156	13/32" Aluminum Hose Splice	1	5
	ACR-157	1/2" Aluminum Hose Splice	2	5
	ACR-158	5/8" Aluminum Hose Splice	2	5

*1 per bag unless noted

SLKFR — KLEDGE-LOK® NYLON FUEL LINE REPAIR TOOL

Repairing fuel systems involving quick disconnects and nylon fuel hose has always been a slow and difficult process. Heating the hose in hot water and trying to jam the barb into the hose without damage is slow and tedious.

The Nylon Fuel Repair kit for KLEDGE-LOK® can now assemble both straight and angled quick disconnects into nylon fuel hose quickly and perfectly every time. Setup is fast and easy. The KLEDGE-LOK® tool does the rest.

Features

- Make connections on the vehicle
- Install straight or 90° barbed connectors
- Fast and easy set-up with no heating of nylon line
- Works with any connector

KLEDGE-LOK® IT!



SLKFR

KLEDGE-LOK® Nylon Fuel Line Repair Tool



SLKFR 	Part No.	Description	Case Qty
	SLKFR	KLEDGE-LOK® Nylon Fuel Line Repair Tool with Jaws	1
	SLKFRA	KLEDGE-LOK® Nylon Fuel Line Repair Jaws - No Tool	1
	FLR-002	KLEDGE-LOK® Nylon Fuel Line Repair Joiner - 5/16" to 5/16" - 1/bag	5
	FLR-003	KLEDGE-LOK® Nylon Fuel Line Repair Joiner - 3/8" to 3/8" - 1/bag	5
	FLR-004	KLEDGE-LOK® Nylon Fuel Line Repair Joiner - 5/16" to 3/8" - 1/bag	5

FLRK-12 — 12mm & 1/2" FUEL LINE REPAIR

1/2" & 12mm specific fuel line repair and replacement kit, ideal for heavy-duty applications. A real time and money saver when working with Dodge, GM, and Ford diesel trucks (2005-present applications). Works with EVAP lines.

Features

- Make fast & easy connection with convenient push-button thumb release
- Create replacement lines for heavy-duty vehicle applications
- Includes components for both nylon & steel lines
- Nylon lines hold up to 200 psi
- No special tools required!

	Part No.	Description	Bags/Kit	Bags/Case
	FLRK-12	12mm & 1/2" Fuel Line Repair Kit	N/A	1
	FLRL-420	Fuel Line Adapter - 1/2" Quick Connect to Nylon - 2/bag	1	5
	FLRL-425	Fuel Line Push-On Connector - 1/2" Nylon to 1/2" Nylon - 2/bag	1	5
	FLRL-430	Fuel Line Compression Union- 1/2" Steel to 1/2" Nylon- 2/bag	1	5
	FLRL-445	Fuel Line Adapter - 12mm Quick Connect to Nylon -2/bag	1	5
	FLRQ-410	Fuel Line Quick Connect - Straight Push-On 1/2" Steel to 1/2" Nylon - 2/bag	1	5
	FLRQ-415	Fuel Line Quick Connect - 90° 1/2" Steel to 1/2" Nylon - 2/bag	1	5
	FLRQ-435	Fuel Line Quick Connect - Straight Push-On 12mm Steel to 1/2" Nylon - 2/bag	1	5
	FLRQ-440	Fuel Line Quick Connect - 90° 12mm Steel to 1/2" Nylon - 2/bag	1	5
	FLRC-2984	1/2" 360° Hose Clamp for Nylon Fuel Line - 10/bag	1	1
	FLRN-725	1/2" x 25' Nylon Fuel Line	1	1
	TR-360	360° Hose Clamp Pliers	1	1
	ACR-054	Hose Cutting Tool	1	10

FLRK-12
Fuel Line Repair Kit



FLRK-15 — FUEL LINE REPAIR MASTER KIT

Quickly produce replacement fuel lines for virtually all vehicle applications! This complete kit contains all the connectors, compression unions, adapters, and nylon fuel line needed to make quick and cost-effective 1/4", 5/16", and 3/8" replacement lines. Save time by having all components in one kit and not searching for any special tools to make the same quality nylon fuel lines used in new vehicles.

Features

- Convenient push-button thumb release makes connections fast & easy
- Nylon lines hold up to 200 psi
- Make complete replacement line in less than 5 minutes!
- No special tools required
- Save technician's time and your customer's money!
- Components included for both nylon and steel lines
- Make replacement lines for both domestic and import vehicle applications



	Part No.	Description*	Bags/Kit	Bags/Case
	FLRK-15	Fuel Line Repair Master Kit	1	N/A
	FLRC-2978	1/4" 360° Hose Clamp for Nylon Fuel Line (use with FLRN-425) - 10/bag	1	1
	FLRC-2980	5/16" 360° Hose Clamp for Nylon Fuel Line (use with FLRN-525) - 32/bag	1	1
	FLRC-2982	3/8" 360° Hose Clamp for Nylon Fuel Line (use with FLRN-625) - 28/bag	1	1
	FLRH-038	3/8" Tube Holder for Nylon Fuel Line with Screw (use with FLRN-625) - 20/bag	1	1
	FLRH-516	5/16" Tube Holder for Nylon Fuel Line with Screw (use with FLRN-525) - 20/bag	1	1
	CF-2B	Brass Compression Union - 1/4" - 1/bag	1	10
	CF-3B	Brass Compression Union - 5/16" - 1/bag	1	10
	CF-4B	Brass Compression Union - 3/8" - 1/bag	1	10
	FLRL-050	Fuel Line Compression Union - 5/16" Steel to 5/16" Nylon - 2/bag	1	5
	FLRL-055	Fuel Line Compression Union - 5/16" Nylon to 5/16" Nylon - 2/bag	1	5
	FLRL-060	Fuel Line Compression Union, 3/8" Steel to 3/8" Nylon - 2/bag	1	5
	FLRL-065	Fuel Line Compression Union, 3/8" Nylon to 3/8" Nylon - 2/bag	1	5
	FLRL-250	Fuel Line Compression Union, 1/4" Steel to 1/4" Nylon - 2/bag	1	5
	FLRL-255	Fuel Line Compression Union, 1/4" Nylon to 1/4" Nylon - 2/bag	1	5
	FLRL-057	Fuel Line Push-On Connector - 5/16" Nylon to 5/16" Nylon - 2/bag	1	5
	FLRL-067	Fuel Line Push-On Connector - 3/8" Nylon to 3/8" Nylon - 2/bag	1	5
	FLRL-095	Fuel Line Adapter - 5/16" Female to 5/16" Nylon - 2/bag	1	5
	FLRL-100	Fuel Line Adapter - 3/8" Female to 3/8" Nylon - 2/bag	1	5
	FLRL-107			

*1 per bag unless noted

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

FLRK-15 — FUEL LINE REPAIR MASTER KIT (Continued)

	Part No.	Description*	Bags/Kit	Bags/Case
	FLRL-107	Fuel Line Adapter - 14mm Female to 14mm Nylon - 1/bag	1	5
 FLRL-070	FLRL-070	Fuel Line Adapter - 5/16" Steel to 5/16" Nylon - 2/bag	1	5
 FLRL-075	FLRL-075	Fuel Line Adapter - 3/8" Steel to 3/8" Nylon - 2/bag	1	5
 FLRL-127	FLRL-127	Fuel Line Adapter - 45° 14mm Steel to 14mm Nylon - 1/bag	1	5
 FLRL-137	FLRL-137	Fuel Line Adapter - 14mm Steel to 14mm Nylon - 1/bag	1	5
 FLRL-140	FLRL-140	Fuel Line Adapter - 5/16" Rubber Hose to 5/16" Nylon - 2/bag	1	5
 FLRL-145	FLRL-145	Fuel Line Adapter - 3/8" Rubber Hose to 3/8" Nylon - 2/bag	1	5
 FLRL-150	FLRL-150	Fuel Line Adapter - 5/16" Quick Connect to Nylon - 2/bag	1	5
 FLRL-155	FLRL-155	Fuel Line Adapter - 3/8" Quick Connect to Nylon - 2/bag	1	5
 FLRL-160	FLRL-160	Fuel Line Adapter - 1/4" Quick Connect to 5/16" Nylon - 1/bag	1	5
 FLRL-165	FLRL-165	Fuel Line Adapter/Reducer - 3/8" Nylon to 5/16" Nylon - 1/bag	1	5
 FLRL-167	FLRL-167	Fuel Line Adapter/Reducer - 5/16" Nylon to 1/4" Nylon - 1/bag	1	5
 FLRL-170	FLRL-170	Fuel Line Adapter - 5/16" Steel to 5/16" Rubber Hose - 1/bag	1	5
 FLRL-175	FLRL-175	Fuel Line Adapter - 3/8" Steel to 3/8" Rubber Hose - 1/bag	1	5
 FLRL-270	FLRL-270	Fuel Line Adapter - 5/16" Steel to 5/16" Rubber (short) - 2/bag	1	5
 FLRL-275	FLRL-275	Fuel Line Adapter - 3/8" Steel to 3/8" Rubber Hose (short) - 2/bag	1	5
 FLRL-38180	FLRL-38180	Fuel Line Adapter - 180° 3/8" Steel to 3/8" Nylon - 1/bag	1	5
 FLRL-3890	FLRL-3890	Fuel Line Adapter - 90° 3/8" Nylon to 3/8" Nylon - 2/bag	1	5
 FLRL-51690	FLRL-51690	Fuel Line Adapter - 90° 5/16" Nylon to 5/16" Nylon - 2/bag	1	5
 FLRN-425	FLRN-425	1/4" x 25' Nylon Fuel Line	1	1
 FLRN-525	FLRN-525	5/16" x 25' Nylon Fuel Line	1	1
 FLRN-625	FLRN-625	3/8" x 25' Nylon Fuel Line	1	1
 FLRQ-020	FLRQ-020	Fuel Line Quick Connect - Straight Push-On 3/8" Steel to 3/8" Nylon - 2/bag	1	5
 FLRQ-030	FLRQ-030	Fuel Line Quick Connect - Straight Push-On 5/16" Steel to 3/8" Nylon - 2/bag	1	5
 FLRQ-035	FLRQ-035	Fuel Line Quick Connect - Straight Push-On 3/8" Steel to 5/16" Nylon - 2 /bag	1	5
 FLRQ-040	FLRQ-040	Fuel Line Quick Connect - Straight Push-On 5/16" Steel to 5/16" Nylon - 2/bag	1	5
 FLRQ-045	FLRQ-045	Fuel Line Quick Connect - Straight Push-On 1/4" Steel to 5/16" Nylon - 1/bag	1	5
 FLRQ-120	FLRQ-120	Fuel Line Quick Connect - 90° 3/8" Steel to 5/16" Nylon - 2/bag	1	5

*1 per bag unless noted

FLRK-15 — FUEL LINE REPAIR MASTER KIT (Continued)

	Part No.	Description*	Bags/Kit	Bags/Case
	FLRQ-125	Fuel Line Quick Connect - 90° 3/8" Steel to 3/8" Nylon - 2/bag	1	5
	FLRQ-130	Fuel Line Quick Connect - 90° 5/16" Steel to 3/8" Nylon - 2/bag	1	5
	FLRQ-135	Fuel Line Quick Connect - 90° 5/16" Steel to 5/16" Nylon - 2/bag	1	5
	FLRT-14005	5/8" x 3' Heat Shield Sleeve	1	1
	FLRL-001	Clamping Pliers for Hose Clamps	1	1
	ACR-054	Hose Cutting Tool	1	10

*1 per bag unless noted



FLRK-15
Fuel Line Repair Master Kit

FEATURED NEW PRODUCT — PRE-BENT FUEL LINE KITS



PRE-BENT FUEL LINE KITS

- All-In-One Kit for a complete installation
- Lab tested to meet burst pressure and flow rates that meet or exceed OE
- Packaged in heavy duty corrugated cartons to protect lines during shipping

Clean and Complete Installation

AGS now offers premium pre-bent fuel line kits, available for the most sought-after replacement systems. These new fuel line kits include everything you need to do a clean and complete installation. Each kit is constructed of galvanized steel with plated fittings and hardware for long lasting service and durability. Each line is CNC bent to ensure an exacting fit and engineered to meet or exceed OEM requirements. Some kits include high quality stainless or PTFE flexible hoses; each hose and fitting is corrosion resistant. Each kit has been lab tested to meet burst pressure and flow rates that meet or exceed OE. Packaged in heavy duty corrugated cartons to protect the lines during shipping.

AGS Part #	Description	UPC
PFL-255A	Pre-Bent Fuel Line Kit Cobalt, Pursuit, G5, and Ion	077146705618
PFL-255C	Pre-Bent Fuel Line Kit 2066-11 HHR	077146705625
PFL-306901	Nylon Tank to Line Kit, Silverado/Sierra 2004-2010	077146705632
PFL-398F	Pre-Bent Fuel Line Kit 1991-95 Chev/GMC K-Series	077146705649
PFL-398J	Pre-Bent Fuel Line Kit 1998-99 Chev/GMC K-Series	077146705656
PFL-399F	Pre-Bent Fuel Line Kit 1990-95 Chev/GMC C-Series	077146705663
PFL-485A	Pre-Bent Fuel Line Kit 1995-05 Blazer/Jimmy/Bravada	077146705670
PFL-488G	Pre-Bent Fuel Line Kit 2000-03 Chev/GMC C/K 1500	077146705687
PFL-488H	Pre-Bent Fuel Line Kit 2000-03 Chev/GMC C/K 1500	077146705694
PFL-488Q	Pre-Bent Fuel Line Kit 2004-07 Chev/GMC C/K 1500, 2004 Chev/GMC C/K 2500	077146705700

PSRK-1 — POWER STEERING LINE REPAIR KIT



Universal power steering line repair system allows many of the over 1,300 SKU's to be repaired quickly and easily and avoid expensive, time-consuming replacement.



Features

- Eliminate waiting on expensive replacements
- Repair lines right on the vehicle
- Meets SAE specs and tested to 6,000 psi
- Cuts labor times and saves customers money
- Includes hose sections from 6" to 30"
- Adapters, tube nuts, line adapters, and shielding
- Utilizes KLEDGE-LOK® technology



	Part No.	Description*	Bags/Kit	Bags/Case
	PSRK	Power Steering Line Repair Kit, Tacklebox Only (Does not Include Hoses or Tool)	1	N/A
	PSRK-1A	Power Steering Line Repair Kit, Master Kit (Includes Hoses, But NOT Tool)	1	N/A
	PSRK-1	Power Steering Line Repair Kit	1	N/A
	SLK-2	Fluid Repair KLEDGE-LOK® Tool/Jaws	1	N/A
	PSRK-500	Power Steering Line Repair Kit Storage Cabinet	1	N/A
 	PSR-001	PS Line Adapter - 3/8" x 3" Straight 5/8-18 Inverted - 2/bag	1	5
 	PSR-003	PS Line Adapter - 3/8" x 6" Straight 5/8-18 Inverted - 2/bag	1	5
 	PSR-005	PS Line Adapter - 3/8" x 3" 45° 5/8-18 Inverted - 2/ bag	1	5
 	PSR-007	PS Line Adapter - 3/8" x 3" 90° 5/8-18 Inverted - 2/bag	1	5
 	PSR-009	PS Line Adapter - 5/16" x 3" Straight 5/8-18 Inverted - 2/bag	1	5
 	PSR-013	PS Line Adapter - 5/16" x 6" Straight 5/8-18 Inverted - 2/bag	1	5
 	PSR-015	PS Line Adapter - 5/16" x 3" 45° 5/8-18 Inverted - 2/bag	1	5
 	PSR-017	PS Line Adapter - 5/16" x 3" 90° 5/8-18 Inverted - 2/bag	1	5
 	PSR-019	PS Line Adapter - 5/16" x 7" Straight O-Ring - 2/bag	1	5
 	PSR-021	PS Line Adapter - 3/8" x 7" Straight O-Ring - 2/bag	1	5
 	PSR-023	PS Tube Nut - 3/8" 5/8-18 Inverted - 2/bag	1	5
	PSR-013	PS Tube Nut - 5/16" 5/8-18 Inverted - 2/bag	1	5
	PSR-014	PS Tube Nut - 5/16" 5/8-18 Inverted - 2/bag	1	5
	PSR-015	PS Tube Nut - 5/16" 1/2-20 Inverted - 2/bag	1	5
	PSR-016	PS Tube Nut - 3/8" M16x1.5 14.75mm Long - 2/bag	1	5
	PSR-017	PS Tube Nut - 3/8" M18x1.5 22mm Long - 2/bag	1	5
	PSR-018	PS Tube Nut - 3/8" M16x1.5 26mm Long - 2/bag	1	5
	PSR-019	PS Tube Nut - 3/8" M16x1.5 55.5mm Long - 2/bag	1	5

*1 per bag unless noted

PSRK-1 — POWER STEERING LINE REPAIR KIT *(Continued)*

	Part No.	Description*	Bags/Kit	Bags/Case
	PSR-020	PS Banjo Fitting Assembly - M14x1.5	1	3
	PSR-021	PS Banjo Fitting Assembly - M16x1.5	1	3
	PSR-022	PS Banjo Fitting Assembly - M18x1.5	1	3
	PSR-023	PS Short Nut - 9/16-18	1	5
	PSR-501	PS KLEDGE-LOK® Connector - 5/16" 5/8-18 Inverted	2	5
	PSR-502	PS KLEDGE-LOK® Connector - 3/8" 5/8-18 Inverted	2	5
	PSRH-606	PS Hose Assembly - 3/8" x 6" 5/8-18 Inverted	1	1
	PSRH-612	PS Hose Assembly - 3/8" x 12" 5/8-18 Inverted	1	1
	PSRH-618	PS Hose Assembly - 3/8" x 18" 5/8-18 Inverted	1	1
	PSRH-624	PS Hose Assembly - 3/8" x 24" 5/8-18 Inverted	1	1
	PSRH-630	PS Hose Assembly - 3/8" x 30" 5/8-18 Inverted	1	1
	PSR-011	PS Heat Shield 2-1/2" x 16"	1	1
	PSR-012	PS Convoluted Split Wrap 1" x 20"	1	1
	ACR-005	5/16" Aluminum Tube-to-Tube KLEDGE-LOK® Union	1	5
	ACR-006	3/8" Aluminum Tube-to-Tube KLEDGE-LOK® Union	1	5
	ACR-028	3" x 1.5" Abrasive Pad	1	1
	ACR-029	KLEDGE-LOK® Anaerobic Tube Sealant Compound - 0.20 fl. oz.	1	1

**1 per bag unless noted*




**1 per bag unless noted*

TRK-555 — TRANSMISSION LINE REPAIR KIT

Take the hassle out of transmission/oil cooler line repair! Everything you need in one place to repair or replace cracked or leaking transmission/oil cooler lines quickly and easily. TRK-555 includes connectors, adapters, tube nuts, as well as the hose, clamps, and pliers in one convenient kit.

Features

- Works with most domestic and import vehicle applications
- Kit contains components for 5/16" and 3/8" lines
- Durable triple-walled rubber hose pressure rated up to 250 psi and temperatures up to 350°F
- Easy as one, two...done!



	Part No.	Description*	Bags/Kit	Bags/Case
 TR-013	TRK-555	Transmission Line Repair Master Kit	1	N/A
 TR-6806	TR-013	3/4" Hanger Clamp with Screws (use with TRC-525 & TRC-624)	1	5
 TR-6807	TR-6806	9/16" 360° Hose Clamp for Transmission/Oil Cooler Hose (use w/TRC-525) - 21/bag	1	5
 TR-605	TR-6807	3/4" 360° Hose Clamp for Transmission/Oil Cooler Hose (use w/ TRC-625)- 21/bag	1	5
 TR-620	TR-605	Transmission Line Tube Nut - 3/8" x 5/8-18 Inverted Flare - 4/bag	1	5
 TR-610	TR-620	Transmission Line Tube Nut - 3/8" x 5/8-18 Inverted Flare Long - 2/bag	1	5
 TR-615	TR-610	Transmission Line Tube Nut - 3/8" x M16x1.5 Bubble Flare - 4/bag	1	5
 TR-601	TR-615	Transmission Line Tube Nut - 3/8" x M18x1.5 Bubble Flare - 4/bag	1	5
 TR-603	TR-601	Transmission Line Connector - 3/8" x 11/16-20 - Ford Taurus, Ford Windstar, Merc Sable	1	5
 TR-607	TR-603	Transmission Line Connector - 3/8" x 3/8-18 - Chevrolet 2002-1988, GMC 2002-1988	1	5
 TR-704	TR-607	Transmission Oil Cooler Line Connector - 1/2 x M20x1.5 - GM 2006-1996	1	5
 TR-705	TR-704	Oil Cooler Line Connector - 3/8" - Chevrolet 1995-1985, GMC 1995-1985 - 1/bag	1	5
 TR-713	TR-705	Oil Cooler Line Connector - 1/2" x 1/4 NPT x 18.2mm - Chevrolet 2002-1996, GMC 2002-1996	1	5
 TR-750	TR-713	Transmission Line Connector - 3/8" x 1/4" NPT x 5/8-18 - Dodge 2003-1990	1	5
 TR-755	TR-750	Transmission Line Connector - 3/8" x 1/4-18 NPT - Dodge 2003-1994, Jeep 2003-1993	1	5
 TR-760	TR-755	Transmission Line Connector - 3/8" x 3/8-18 - Ford Taurus, Linc Continental, Merc Sable	1	5
 TR-765	TR-760	Transmission Line Connector - 5/16"x9/16-18 - GM - 1/bag	1	5
 TR-770	TR-765	Transmission/Oil Cooler Line Connector - 3/8" x 5/8-18 - GM 2006-1996 - 1/bag	1	5
	TR-770	Transmission Line Connector - 3/8" x 3/8-18 - Cadillac, Chevrolet, GMC, Hummer	1	5

TRK-555 — TRANSMISSION LINE REPAIR KIT *(Continued)*

	Part No.	Description*	Bags/Kit	Bags/Case
	TR-720	Transmission Line Quick Connector - 3/8" Straight Push Quick Connect to Rubber	1	5
	TR-775	3/8" Transmission Line Connector Clip - 5/bag	1	5
	TR-405	Transmission Line Adapter - 5/16" Steel Compression to 5/16" Rubber - 1/bag	1	5
	TR-410	Transmission Line Adapter - 3/8" Steel Compression to 5/16" Rubber - 1/bag	1	5
	TR-935	Transmission Line Adapter - 5/16" x 5/8-18 Inverted Flare Nut to Rubber Hose	2	5
	TR-940	Transmission Line Adapter - 5/16" x 1/2-20 Nut GM O-Ring to Rubber Hose	2	5
	TR-945	Transmission Line Adapter - 5/16" x 1/2-20 Inverted Flare Nut to Rubber Hose	2	5
	TR-950	Transmission Line Adapter - 5/16" Rubber Hose to 5/16" Rubber Hose -1/bag	1	5
	TR-955	Transmission Line Adapter - 5/16" Rubber Hose to Quick Connector -1/bag	1	5
	TR-960	Transmission Line Adapter - 3/8" Rubber Hose to 5/16" Rubber Hose -1/bag	1	5
	TR-965	Transmission Line Adapter - 3/8" Rubber Hose to Quick Connector - 1/bag	1	5
	TR-970	Transmission Line Adapter - 3/8" 45° Male to Rubber Hose - 1/bag	1	5
	TR-975	Transmission Line Adapter - 3/8" 90° Male to Rubber Hose - 1/bag	1	5
	TR-980	Transmission Line Adapter - 3/8" Straight Male to Rubber Hose - 2/bag	1	5
	TR-985	Transmission Line Adapter - 3/8" Inverted Flare to Rubber Hose - 2/bag	1	5
	TR-990	Transmission Line Adapter - 3/8" GM O-Ring to Rubber Hose - 2/bag	1	5
	TRC-525	5/16" x 25' Transmission/Oil Cooler Hose	1	1
	TRC-625	3/8" x 25' Transmission/Oil Cooler Hose	1	1
	TR-360	360° Hose Cutting Pliers	1	1
	ACR-054	Hose Cutting Tool	1	10

*1 per bag unless noted

FORD TRANSMISSION COOLER LINE TO RADIATOR CONNECTOR

	Part No.	Description	Bags/Kit	Bags/Case
	TR-790	Connector - M18 x 1.5 Male Thread to 1/2" Tube - Ford Explorer / Trucks	1	5
	TR-795	Connector - M18 x 1.5 Male Thread to 3/8" Tube - Ford Explorer / Trucks	1	5



TRK-555

Transmission Line Repair Kit

EZ-FIT® — COMPLETE BRAKE LINE REPLACEMENT KIT

FASTER • EASIER • TOUGHER



EZ-FIT®

Complete Brake Line Replacement Kit NiCOPP®
Cu-Ni-Fe ALLOY TUBING



Scan to See
How Easy Brake Line
Replacement Can Be!

The Solution to Rusted OE Brake Lines! NiCopp® EZ-FIT® Complete Brake Line Replacement Kits are fast, economical, superior quality solutions to replacing steel brake lines in the over 100 million popular GM, Chevy, Ford, Dodge, Jeep trucks and SUV's that experience an almost 100% failure rate in the rust belt regions of North America. EZ-FIT® provides easier, longer-lasting replacement than the competition.

Features

- Highest quality machined flares for leak-proof & hassle-free connections.
- Black oxide fittings provide increased corrosion protection over standard zinc-coated fittings.
- NiCopp® is the ultimate corrosion-proof tubing that outlasts even stainless steel.
- EZ-Bend® technology makes bending, routing, & installing easier than pre-bent lines.



CHEVROLET / GMC / CADILLAC

Part No.	Make/Model	Year	Lines/Kit
CNC-100KIT	Chevrolet Avalanche 1500/2500/Cadillac Escalade EXT	2002	7
CNC-101KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/4WD/Short Bed	2003-2007	9
CNC-102KIT	Chevrolet Silverado 1500/ MC Sierra 1500 Standard Cab/RWD/Short Bed	1999-2002	7
CNC-103KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/RWD/Short Bed	1999-2002	7
CNC-104KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/RWD/Long Bed	1999-2002	7
CNC-105KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/RWD/Long Bed	2000-2002	7
CNC-106KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/4WD/Short Bed	1999-2002	7
CNC-107KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/4WD/Short Bed	1999-2002	7
CNC-108KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/4WD/Long Bed	1999-2002	7
CNC-109KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/4WD/Long Bed	1999-2002	7
CNC-110KIT	Chevrolet Silverado 1500 HD/GMC Sierra 1500 HD Crew Cab	2001-2002	7
CNC-111KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/RWD/Short Bed	2003-2004	9
CNC-112KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/RWD/Long Bed	2003-2004	9

EZ-FIT® - COMPLETE BRAKE LINE REPLACEMENT KIT (Continued)

CHEVROLET / GMC / CADILLAC (CONTINUED)

Part No.	Make/Model	Year	Lines/Kit
CNC-113KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/RWD/Long Bed	2003-2004	9
CNC-114KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/4WD/Short Bed	2003-2004	9
CNC-115KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/4WD/Long Bed	2003-2004	9
CNC-116KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/4WD/Long Bed	2003-2004	9
CNC-117KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/RWD/Short Bed - Rear Disc Brakes	2003-2007	9
CNC-118KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Crew Cab/4WD/Short Bed	2004-2007	9
CNC-119KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/RWD/Short Bed	2005-2007	7
CNC-120KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/RWD/Short Bed - Rear Drum Brakes	2005-2007	7
CNC-121KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/4WD & RWD/Short Bed - Rear Drum Brakes/Torsion Bar Springs	2005-2007	7
CNC-122KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/RWD/Long Bed	2005-2007	7
CNC-123KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/RWD/Long Bed	2005-2007	7
CNC-124KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Crew Cab/4WD & RWD/Short Bed - Rear Drum Brakes/Torsion Bar Springs	2005-2007	7
CNC-125KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Crew Cab/RWD/Short Bed - Rear Drum Brakes/Torsion Bar Springs	2005-2007	7
CNC-126KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/4WD/Short Bed	2005-2007	7
CNC-127KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Standard Cab/4WD/Long Bed	2005-2007	7
CNC-128KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/4WD/Long Bed	2005-2007	7
CNC-129KIT	Chevrolet Silverado 1500 HD/GMC Sierra 1500 HD Crew Cab/Short Bed - Rear Disc Brakes	2003-2007	7
CNC-130KIT	Chevrolet Silverado 1500/GMC Sierra 1500 Extended Cab/Short Bed	2006-2007	7
CNC-131KIT	Chevrolet Silverado 2500/GMC Sierra 2500 Extended Cab/RWD/Short Bed	1999-2000	7
CNC-132KIT	Chevrolet Silverado 2500/GMC Sierra 2500 Standard Cab/RWD/Long Bed	1999-2000	7
CNC-133KIT	Chevrolet Silverado 2500/GMC Sierra 2500 Extended Cab/RWD/Long Bed	1999-2000	7
CNC-134KIT	Chevrolet Silverado 2500/GMC Sierra 2500 Extended Cab/4WD/Long Bed	1999-2000	7
CNC-135KIT	Chevrolet Silverado 2500/GMC Sierra 2500 Extended Cab/4WD/Short Bed	1999-2002	7
CNC-136KIT	Chevrolet Silverado 2500/GMC Sierra 2500 Standard Cab/4WD/Long Bed	1999-2002	7
CNC-137KIT	Chevrolet Silverado 2500 HD/GMC Sierra 2500 HD Extended Cab/Short Bed	2001-2002	7
CNC-138KIT	Chevrolet Silverado 2500 HD/GMC Sierra 2500 HD Crew Cab/Short Bed	2001-2002	7
CNC-139KIT	Chevrolet Silverado 2500 HD/3500/GMC Sierra 2500 HD/3500 Standard Cab/4WD & RWD/Long Bed	2001-2002	7
CNC-140KIT	Chevrolet Silverado 2500 HD/3500/GMC Sierra 2500 HD/3500 Extended Cab/Long Bed	2001-2002	7
CNC-141KIT	Chevrolet Silverado 2500 HD/3500/GMC Sierra 2500 HD/3500 Crew Cab/Long Bed	2001-2002	7
CNC-142KIT	Chevrolet Silverado 2500/GMC Sierra 2500 Standard Cab/RWD/Long Bed	2003-2004	7

EZ-FIT® - COMPLETE BRAKE LINE REPLACEMENT KIT (Continued)

Part No.	Make/Model	Year	Lines/Kit
CNC-143KIT	Chevrolet Silverado 2500/GMC Sierra 2500 Extended Cab/4WD/Short Bed	2003-2004	7
CNC-144KIT	Chevrolet Silverado 2500 HD/GMC Sierra 2500 HD Extended Cab/Short Bed	2003-2007	7
CNC-145KIT	Chevrolet Silverado 2500 HD/3500/GMC Sierra 2500 HD/3500 Standard Cab/4WD & RWD/Long Bed	2003-2007	7
CNC-146KIT	Chevrolet Silverado 2500 HD/3500/GMC Sierra 2500 HD/3500 Extended Cab/Long Bed	2003-2007	7
CNC-147KIT	Chevrolet Silverado 2500 HD/3500/GMC Sierra 2500 HD/3500 Crew Cab/Long Bed	2003-2007	7
CNC-148KIT	Chevrolet Suburban 1500/GMC Yukon XL 1500 2002 Cadillac Escalade EXT & Chevrolet Avalanche 1500	2000-2002	7
CNC-149KIT	Chevrolet Suburban/Avalanche 1500/GMC Yukon XL 1500/Cadillac Escalade ESV/EXT	2003-2006	9
CNC-150KIT	Chevrolet Suburban/Avalanche 1500/GMC Yukon XL 1500/Cadillac Escalade ESV/EXT RPO Code JL4 (Active Brake Control)	2003-2006	11
CNC-151KIT	Chevrolet Tahoe/GMC Yukon/Cadillac Escalade RPO Code JL4 (Active Brake Control)	2002	7
CNC-152KIT	Chevrolet Tahoe/GMC Yukon/2002 Cadillac Escalade	2000-2002	7
CNC-153KIT	Chevrolet Tahoe/GMC Yukon/Cadillac Escalade	2003-2006	9
CNC-154KIT	Chevrolet Tahoe/GMC Yukon/Cadillac Escalade RPO Code JL4 (Active Brake Control)	2003-2006	11
CNC-155KIT	Chevrolet Silverado 3500/GMC Sierra 3500 Standard Cab/4WD & RWD/DRW	2001-2002	7
CNC-156KIT	Chevrolet Silverado 3500/GMC Sierra 3500 Extended Cab/4 Door/DRW	2001-2002	7
CNC-157KIT	Chevrolet Silverado 3500/GMC Sierra 3500 Standard Cab/2 Door/DRW	2001-2002	7
CNC-158KIT	Chevrolet Silverado 3500/GMC Sierra 3500 Standard Cab/4WD & RWD/DRW - 161.5 inch Wheelbase	2003-2007	7
CNC-159KIT	Chevrolet Silverado 3500/GMC Sierra 3500 Standard Cab/DRW - 137 inch Wheelbase	2003-2007	7
CNC-160KIT	Chevrolet Silverado 3500/GMC Sierra 3500 Extended & Standard Cab/DRW	2003-2007	7
CNC-161KIT	Chevrolet Suburban 2500/GMC Yukon XL 2500 - RWD	2000	7
CNC-162KIT	Chevrolet Suburban 2500/GMC Yukon XL 2500 2002 Chevrolet Avalanche 2500	2000-2002	7
CNC-163KIT	Chevrolet Suburban/Avalanche 2500/GMC Yukon XL 2500	2003-2006	7
CNC-219KIT	Chevrolet Silverado 2500 HD/GMC Sierra 2500 HD Crew Cab/Short Bed	2003-2007	7
DODGE			
CNC-171KIT	Dodge Ram 1500 Ext Cab 78" Bed & Std Cab 96" Bed FWD - 4-Wheel ABS	2000-2001	11
CNC-172KIT	Dodge Ram 1500 Ext Cab 96" Bed FWD - 4 Wheel ABS	2000-2001	11
CNC-173KIT	Dodge Ram 1500 Std Cab 78" Bed FWD - 4 Wheel ABS	2000-2001	11
CNC-175KIT	Dodge Ram 2500 Ext Cab 78" Bed FWD	2000-2001	12
CNC-171KIT	Dodge Ram 1500 Ext Cab 78" Bed & Std Cab 96" Bed FWD - 4-Wheel ABS	2000-2001	11
CNC-172KIT	Dodge Ram 1500 Ext Cab 96" Bed FWD - 4 Wheel ABS	2000-2001	11
CNC-173KIT	Dodge Ram 1500 Std Cab 78" Bed FWD - 4 Wheel ABS	2000-2001	11

EZ-FIT® - COMPLETE BRAKE LINE REPLACEMENT KIT (Continued)

DODGE (CONTINUED)

Part No.	Make/Model	Year	Lines/Kit
CNC-175KIT	Dodge Ram 2500 Ext Cab 78" Bed FWD	2000-2001	12
CNC-171KIT	Dodge Ram 1500 Ext Cab 78" Bed & Std Cab 96" Bed FWD - 4-Wheel ABS	2000-2001	11
CNC-172KIT	Dodge Ram 1500 Ext Cab 96" Bed FWD - 4 Wheel ABS	2000-2001	11
CNC-173KIT	Dodge Ram 1500 Std Cab 78" Bed FWD - 4 Wheel ABS	2000-2001	11
CNC-175KIT	Dodge Ram 2500 Ext Cab 78" Bed FWD	2000-2001	12
CNC-176KIT	Dodge Ram 2500 Ext Cab 96" Bed FWD	2000-2001	12
CNC-177KIT	Dodge Ram 2500 Std Cab 78" & 96" Bed FWD	2000-2001	12
CNC-179KIT	Dodge Ram 2500 Ext Cab 78" Bed & Std Cab 96" Bed w/ FWD Rear Disc Brakes	2001-2002	12
CNC-180KIT	Dodge Ram 2500 Ext Cab 96" Bed w/ FWD Rear Disc Brakes	2001-2002	12
CNC-181KIT	Dodge Ram 2500 Std Cab 78" Bed w/ FWD Rear Disc Brakes	2001-2002	12
CNC-187KIT	Dodge Ram 1500 Ext Cab 78" & Std Cab 96" Bed RWD - 4 Wheel ABS	2000-2001	11
CNC-188KIT	Dodge Ram 1500 Ext Cab 96" Bed RWD - 4 Wheel ABS	2000-2001	11
CNC-189KIT	Dodge Ram 1500 Std Cab 78" Bed RWD - 4 Wheel ABS	2000-2001	11
CNC-191KIT	Dodge Ram 2500 Ext Cab 78" & Std Cab 96" Bed RWD - 4 Wheel ABS	2000-2001	12
CNC-192KIT	Dodge Ram 2500 Ext Cab 96" Bed RWD - 4 Wheel ABS	2000-2001	12
CNC-193KIT	Dodge Ram 2500 Std Cab 78" Bed RWD - 4 Wheel ABS	2000-2001	12
CNC-196KIT	Dodge Ram 2500 Ext Cab 96" Bed w/ RWD Rear Disc Brakes - Dana 60/70	2001-2002	12
CNC-197KIT	Dodge Ram 2500 Std Cab 78" Bed w/ RWD Rear Disc Brakes - Dana 60/70	2001-2002	12
CNC-198KIT	Dodge Ram 2500 Ext Cab 78" & Std Cab 96" Bed w/ RWD Rear Disc Brakes	2001-2002	12
CNC-200KIT	Dodge Ram 2500 Ext Cab 96" Bed RWD w/ Rear Disc Brakes - Dana 80	2001-2002	12
CNC-201KIT	Dodge Ram 2500 Std Cab 78" Bed RWD w/ Rear Disc Brakes - Dana 80	2001-2002	12
CNC-203KIT	Dodge Ram 1500 Ext Cab 78" Bed & Std Cab 96" Bed FWD - 2 Wheel ABS	2000-2001	9
CNC-204KIT	Dodge Ram 1500 Ext Cab 96" Bed FWD - 2 Wheel ABS	2000-2001	9
CNC-205KIT	Dodge Ram 1500 Std Cab 78" Bed FWD - 2 Wheel ABS	2000-2001	9
CNC-207KIT	Dodge Ram 2500 Ext Cab 78" Bed & Std Cab 96" Bed 4WD - 2 Wheel ABS	2000-2001	10
CNC-208KIT	Dodge Ram 2500 Ext Cab 96" Bed 4WD - 2 Wheel ABS	2000-2001	10
CNC-209KIT	Dodge Ram 2500 Std Cab 78" Bed 4WD - 2 Wheel ABS	2000-2001	10

EZ-FIT® - COMPLETE BRAKE LINE REPLACEMENT KIT (Continued)

Part No.	Make/Model	Year	Lines/Kit
CNC-211KIT	Dodge Ram 1500 Ext Cab 78" & Std Cab 96" Bed RWD - 2 Wheel ABS	2000-2001	9
CNC-212KIT	Dodge Ram 1500 - Ext Cab 96" Bed RWD - 2 Wheel ABS	2000-2001	9
CNC-213KIT	Dodge Ram 1500 - Std Cab 78" Bed RWD - 2 Wheel ABS	2000-2001	9
CNC-215KIT	Dodge Ram 2500 - Ext Cab 78" Bed & Std Cab 96" Bed RWD - 2 Wheel ABS	2000-2001	10
CNC-216KIT	Dodge Ram 2500 - Ext Cab 96" Bed RWD - 2 Wheel ABS	2000-2001	10
CNC-217KIT	Dodge Ram 2500 - Std Cab 78" Bed RWD - 2 Wheel ABS	2000-2001	10
FORD / MERCURY			
CNC-164KIT	Ford F-150 /Lobo Ext Cab 78" Bed & Std Cab 96" Bed	1997-2000	7
CNC-166KIT	Ford F-150 /Lobo - Std Cab 78" Bed	1997-2000	7
CNC-168KIT	Ford F-150 /Lobo Std Cab 78" Bed - Under 7,700 Lb. GVW	2000-2004	8
CNC-169KIT	Ford F-150 /Lobo Ext Cab 96" Bed - Under 7,700 Lb. GVW	2000-2004	8
CNC-170KIT	Ford F-150 /Lobo Ext Cab 78" Bed & Std Cab 96" Bed - Under 7,700 Lb. GVW	2000-2004	8
CNC-235KIT	Ford Taurus & Mercury Sable Non-ABS - Rear Drum Brakes	2000-2006	14
CNC-243KIT	Ford F-250 & F-350 Super Duty Ext Cab 81" Bed 4WD - 4 Wheel ABS	2001-2004	9
CNC-244KIT	Ford F-250 & F-350 Super Duty Ext Cab 96" Bed 4WD - 4 Wheel ABS	2001-2004	9
CNC-245KIT	Ford F-250 & F-350 Super Duty Crew Cab 81" Bed 4WD - 4 Wheel ABS	2001-2004	9
CNC-295KIT	Ford Excursion 4WD-4 Wheel ABS	2001-2005	9
JEEP			
CNC-220KIT	Jeep Wrangler - Dana 35 Axle	1997-2002	7
CNC-221KIT	Jeep Wrangler - Dana 44 Axle	1997-2002	7
CNC-236KIT	Jeep Cherokee Non-ABS W/ Chrysler Rear Axle	1997-2001	9
CNC-237KIT	Jeep Wrangler - Non ABS	1987-1995	7
CNC-9901KIT	Jeep Grand Cherokee 4WD-4 Wheel ABS	1999-2004	9
CNC-9902KIT	Jeep Wrangler Non ABS - W/ DANA 35 & 44 Axle	1997-2006	7
VOLKSWAGEN			
CNC-9903KIT	VW Type 1 Beetle Ghia	1969-1977	8
CNC-9904KIT	VW Super Beetle	1971-1979	9



BRAKE LINE REPLACEMENT KITS

Manufactured to OE Specs by the OE Supplier! Save time and money using the highest quality copper nickel alloy tubing paired with comprehensive fitting assortments. Eliminate searching for just the right fitting. Kits contain handy instructional materials. NiCopp® is the easiest, kink-proof bending and flaring line available – Period! Eliminate continued replacement cost of rusted brake lines with corrosion-proof NiCopp® lines. No bending or special flaring equipment required. Lifetime warranty!



NiCOPP®
Cu • Ni • Fe ALLOY TUBING



BLFA-8K - 3/16" Kit

(1) 3/16" x 25' NiCopp® Coil

(1) 3/16" Fitting assortment –Tube nuts, adapters, and unions for working with any domestic or import 3/16" brake line system

(1) Brake line replacement instruction sheet



BRAKE LINE REPLACEMENT MADE EASY!

EVERYTHING YOU NEED TO PRODUCE THE HIGHEST QUALITY BRAKE LINES ON THE PLANET!

Instruction Sheet Included!



Features

- Cut labor times by 50%
- Multiple lines with one kit
- Convenient and refillable
- SAE and Metric

MEETS SPECS

SAE J1650/J1677 • DIN 74234
• BS 2871

BLFA-8K-2 - 3/16" Kit

(2) 3/16" x 25' NiCopp® Coil

(1) 3/16" Fitting assortment –Tube nuts, adapters, and unions for working with any domestic or import 3/16" brake line system

(1) Brake line replacement instruction sheet



Best Value!



BLFA-10K - 3/16" & 1/4" Kit

(1) 3/16" x 25' NiCopp® Coil

(1) 1/4" x 25' NiCopp® Coil

(1) 3/16" & 1/4" Fitting assortment –Tube nuts, adapters, and unions for working with any domestic or import 3/16" & 1/4" brake line system

(1) Brake line replacement instruction sheet



BLFA-9K - 1/4" Kit

(1) 1/4" x 25' NiCopp® Coil

(1) 1/4" Fitting assortment –Tube nuts, adapters, and unions for working with any domestic or import 1/4" brake line system

(1) Brake line replacement instruction sheet



Line Repair Systems - Brake

BRAKE LINE FITTING GAUGES

The AGS Brake Line Fitting Gauges come in both SAE/Inch and ISO/Metric versions. The Brake Line Fitting Gauge is an accurate and easy-to-use thread checker for the most common thread sizes found in automotive braking systems. Conveniently assembled onto a wire loop, it is especially well suited for distinguishing between similar inch and metric threads. This tool is a great addition for Auto, Motorcycle, Marine, ATV or RV Repair Shops.

BLFG-UNF — SAE/Inch Brake Fitting Gauge

Thread Gauge Sizes: 1/8" NPTF, 1/4" NPTF, 3/8-24, 7/16-20, 7/16-24, 1/2-20, 9/16-18, 9/16-20, 5/8-18



Features

- Each size has a male and female end checker on the same gauge
- Thread sizes are permanently stamped onto each gauge
- Inch gauges are clear zinc plated, metric gauges are black oxide
- A wire cable with plastic coated loop at each end provides convenient hanging in many locations
- Each gauge rotates freely on the wire cable for quick and easy thread verification

BLFG-MET — Metric Brake Fitting Gauge

Thread Gauge Sizes: M16x1.5, M14x1.5, M13x1.0, M12x1.5, M12x1.0, M11x1.5, M10x1.0, M9x1.0



FF-2 — PROFESSIONAL BRAKE TUBE FLARING TOOL

Professional grade turret-style tube flaring tool includes all dies/retaining jaws to create 45°-degree flares in 3/16", 1/4", 5/16", and 3/8" O.D. steel, stainless steel, and nickel-copper tubing. Create precision SAE inverted, ISO bubble, and single flares quickly. Convenient turret carrier keeps all dies ready & available for quick indexing and changeover, while quick release "T" handle ensures fast holder die changeovers.

Features

- Create precise SAE inverted, ISO bubble, and single flares quickly
- Flare steel, stainless steel, and nickel-copper tubing
- Includes retaining jaws and dies to flare 3/16", 1/4", 5/16", and 3/8" O.D. tubing
- Turret-style keeps all dies ready and accessible



FF-2

Turret-Style Tube Flaring Tool

FF-237 — Professional Turret-Style 37° Upgrade Kit

Upgrade your FF-2 Professional Turret-Style flare tool with this kit, it works on 3/16", 1/4", 5/16" and 3/8" tubing. Kit includes 7 punches on a turret and 4 die blocks to quickly convert your FF-2 to create 37° flares. 37° flares are used in many custom, hydraulic and military applications where AN- or JIC-type fittings are used.



ISO Bubble SAE Inverted Single



FF-237

Turret-Style 37° Upgrade

FF-3 — UNIVERSAL HYDRAULIC TUBE FLARING SET

Powerful and compact universal hydraulic flaring tool works to produce 45° degree SAE inverted, ISO bubble, Push-Connect, GM Fuel Line and single flares quickly and accurately, both on and off vehicle. Flare steel, stainless steel, and nickel-copper tubing with ease using ergonomic power. Improved design provides positive detents to retain dies, allowing for true one-handed operation in tight quarters.

Features

- Create precise SAE inverted, ISO bubble, push connect, and GM fuel line flares quickly
- Hydraulic-actuated flaring operation for ergonomic power
- Flare steel, stainless steel, and nickel-copper tubing
- Includes retaining jaws and dies to flare 3/16", 1/4", 5/16", 3/8", 1/2", 4.75mm, 6mm, 8mm, and 10mm lines



TB-1 — BRAKE & FUEL LINE BENDING PLIERS

Quickly and easily bend, align and adjust 3/16" or 1/4" brake and fuel lines without kinking. Unique design provides a flush (flat) surface on one side of the bending head, allowing the tool to bend tight radiuses right up against a tube nut or obstruction. Forged steel body with ergonomic heavy-duty molded grips allow for a comfortable and secure hold and excellent durability. Black-oxide finish ensures rust resistance.

Features

- Bend, align, and adjust brake and fuel lines without kinking
- Ergonomic heavy-duty rubber grips allow for a comfortable and secure hold
- Forged steel with black-oxide tool and jaw construction for long lasting use



TB-2 — MINI TUBE BENDER

Mini tubing bender forms tight bends in 1/8", 3/16", and 1/4" tubing quickly and without kinking. Bending range from 0 to 120 degrees, with reference marks at 45° and 90° degrees. Sturdy powder coated casting smoothly bends brake and fuel line as well as other aluminum, copper, brass or steel tubing.

Features

- Make tight bends in 1/8", 3/16", and 1/4" tubing without kinking
- Compact and light weight design to fit in any toolbox
- Bend from 0° to 120°
- Reference marks at 45° and 90°



TC-316 — RATCHETING TUBE CUTTER

Innovative ratcheting tubing cutter works with any metal tube from 1/8" through 1/2" O.D. Compact design for confined spaces, the tool works by allowing the cutting head to rotate a full 360° degrees through ratcheting movement of the handle. Automatic spring-loaded cutter wheel works evenly and quickly. The tool also features a convenient retractable debur/file tool in handle.

Features

- Cuts metal tube 1/8" to 1/2" O.D.
- Compact design for confined spaces
- Spring-loaded automatic cutter
- Retractable debur/file tool in handle



TR-1 — REAMING & DEBURRING TOOL

Reaming and deburring lines allows for the best possible flaring and joining of tubing without the risk of metal shards contaminating the job! This inside/outside reaming and deburring tool works with 3/16" (4mm) through 1/2" (14mm) O.D. steel, copper, copper-alloy, & aluminum tubing. Perfect for brake, fuel, transmission, and coolant lines. Jaws and blades are formed from high-strength steel and are retractable into the billet steel body for safety. Three cutting edges ensure clean, even deburring every time.

Features

- Works with steel, copper, copper-alloy, and aluminum
- 3 cutting edges for clean deburring
- Jaws and blades constructed from HSS steel
- Aluminum housing



Outside (Before & After)

Inside (Before & After)

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

RATCHETING LINE WRENCH

DESIGNED TO GET INTO HARD TO REACH PLACES. A must have for any professional mechanic. This line wrench makes fast work of troublesome fittings. Using one hand, the wrench head can be opened and closed to completely surround the hex of the fitting. Even a hex that has severe rounded corners can be loosened or tightened because of the patented open-ended ratcheting.

Features

- Great strength & wear resistance
- Ratchet function works in tight spaces
- Open ratchet Chromium Molybdenum Alloy Steel fabrication
- No-slip comfort handle
- Patented Design



	Part No.	Description
	RLW-010	M10 Ratcheting Line Wrench
	RLW-012	M12 Ratcheting Line Wrench
	RLW-015	M15 Ratcheting Line Wrench
	RLW-375	3/8" Ratcheting Line Wrench
	RLW-437	7/16" Ratcheting Line Wrench
	RLW-500	1/2" Ratcheting Line Wrench
	RLW-625	5/8" Ratcheting Line Wrench
	RLW-KIT	Ratcheting Line Wrench Set with Canvas Holder (M10, M12, M15, 3/8", 7/16", 1/2", 5/8")

HANDHELD TUBING STRAIGHTENER

PATENTED TUBING STRAIGHTENER! Create better flow through your lines with no bends or irregularities. Save time and money by using bulk coiled tube, while still getting professionally straight results. Much quicker and less expensive than bench mounted tubing straighteners with better results than hand straightening.

Features

- Works with Steel, Stainless Steel, Aluminum, Copper, Poly-Armour®, and NiCopp®
- Great for brake lines, fuel lines, and more.
- Save time and money



Part No.	Description
TSHH-316	3/16" Handheld Tubing Straightener Tool
TSHH-250	1/4" Handheld Tubing Straightener Tool
TSHH-375	3/8" Handheld Tubing Straightener Tool
TSHH-500	1/2" Handheld Tubing Straightener Tool
TSHH-625	5/8" Handheld Tubing Straightener Tool

HITCH AND HAUL KIT

Maintain and protect your trailer and tow vehicle with this handy 2-Grease kit. Contains high-grade lubricants for all metal-to-metal contact points and electrical connections. Prevents rust, corrosion, and electrical shorts in extreme conditions. Won't wash out, won't freeze or melt.

Features

- Single-use dual chamber packaging includes both High-Grade White Lithium Grease and Dielectric Grease.
- The White Lithium Grease is perfect for use on hitch balls, receivers, and couplers, while dielectric is ideal for connectors, bulbs, and batteries.



Part No.	Description	Display Qty.	Case Qty.
HH-1K	Hitch & Haul Maintenance Kit	20	200

FIFTH WHEEL LUBRICANT

AGS's Fifth Wheel Lubricant is intentionally formulated to be superior than other fifth wheel greases. Formulated with a Calcium-sulfonate base grease, 5% Moly, corrosion inhibitors, and extreme pressure additives, this is designed specifically for extreme conditions. The drop point and high-temperature life allows this lubricant to outperform in extreme conditions and last longer than conventional lithium greases. Temperature range -10° F (-23°C) to 550°F (288°C).

Features

- Formulated with Calcium-sulfonate base grease with moly additives.
- Higher load capabilities, excels at lower temperatures, high temperature range, better corrosion control, and longer lasting.



Part No.	Description	Display Qty.	Case Qty.
FWL-1	Fifth Wheel Lubricant	48	192

SINGLE USE POUCHES

Part No.	Description	Part No.	Description
BG-1	Bulb Grease	DP-1	Electronics Grease
BG-1K	Bulb Installation Kit	HB-1	Hitch Ball Grease
BK-1	Brake Grease	NG-1	Nitrile Gloves
BT-1	Battery Terminal Grease	ODP-1	Oil Drain Plug Sealer
BT-1K	Battery Installation Kit	SP-1	Spark Plug Boot Grease
BTL-1	Thread Locker		
BTW-1	Battery Terminal Washers		
TG-1	Gasket Sealer		
TMP-1	Anti-Seize		
WBG-2	Wheel Bearing Grease		
HH-1K	Hitch & Haul Maintenance Kit		
FWL-1	Fifth Wheel Grease		
CM-1	Cerami-Glyde Brake Lubricant		
CP-1	Connector Protector		

Generate add-on and impulse sales with AGS's single use program. Each product is designed to a perfect upsell with the most popular sold products, such as "brake, batteries, and bulbs". Easily increase margin and average order value with the low cost, high volume products.



RELATED LUBRICANTS AND CHEMICALS

Sil-Glyde® Brake Lubricant is the perfect all-around brake lube when servicing disc and drum brake systems. Its silicone base ensures it won't melt or freeze, and will resist moisture. Also ideal for rebuilding master and wheel cylinders. It's DOT 3 compatible and won't swell rubber components. Temperature resistant to 425°F.

Thread-Magic® Avoid stuck bolts! Assure easy removal on aluminum and cast iron components to prevent seizing, galling, and damage during disassembly. Suggested applications: bolts and fasteners.



BK-1



BK-4



BK-8



BK-12



TMK-1



TMP-1



TM-1

Cerami-Glyde® High-Performance Brake Lubricant has all the great qualities of Sil-Glyde, but with a much higher temperature range of 3000°F. Designed for high performance systems and ceramic pads that perform in the most extreme conditions.



CM-1



CM-4



CM-8



Scan to view more information on the complete line of AGS specialty lubricants.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

INTRODUCING
RUST SOLUTIONS™

TREAT,
ELIMINATE,
& PREVENT
RUST!



Designed for DIY'ers, Professionals, and Fleets

For use on Auto, Industrial, Home, Marine, and More!

- Stop rust from spreading — apply directly over rust!
- Seals out moisture and prevents corrosion.
- Long Lasting UV resistant — no second coat needed!
- VOC/MIR compliant in all 50 United States.





AGS Part #	Description	Case Qty	UPC
AOR-14	Rust Solutions, Rust Paint, Matte Black, 14 oz Aerosol	6	077146703874
AOR-25	Rust Solutions, Rubberized, Undercoating/Bedliner, Textured Matte Black, 14 oz Aerosol	6	077146703898
AOR-32	Rust Solutions, Rust Paint, Matte Black, 32 fl oz	6	077146703881
AOR-35	Rust Solutions, Rust Converter, 32 fl oz	6	077146703904
AOR-40	Rust Solutions, Rust Prevention and Lubricant, 11 oz Aerosol	6	077146703911
AOR-45	Rust Solutions, Industrial Penetrant, 11 oz Aerosol	6	077146705571
AOR-86	Rust Solutions, Salt Neutralizer Concentrate, 128 fl oz	4	077146703928
AOR-99	Rust Solutions, Surface Prep, 14 oz Aerosol	6	077146705533
AOR-128	Rust Solutions, Rust Paint, Matte Black, 128 fl oz	4	077146705340



Scan to visit the
Rust Solutions website!

SIL-GLYDE®



RU-GLYDE®

For additional innovative products from AGS,
go to www.agscompany.com or see the
following catalogs:



C-1040 – Specialized Lubricants

Specialty Greases, Aerosols, Additives



AGS introduces a range of amazing and innovative
fastening, gripping, and flaring tools

FLAREFORCE®
IN-LINE FLARING TOOL • BY XFORCE

LINE WRENCH®
RATCHETING FLARE NUT WRENCH • BY XFORCE

ACCUFIT®



*More Coverage, Fewer Part Numbers, Superior
Features, Higher Quality*

C-1000 – Application Guidebook

C-1010 – Oil Drain Plugs

Proud Members of



ACPN



AGS Company Automotive Solutions

P.O. Box 729, Muskegon, MI 49443, U.S.A. • Toll Free 1-800-253-0403

Toll Free in Michigan & Canada 800-735-0403 • FAX (231) 733-1784 • www.agscompany.com



C-690 REV S
Printed in USA